Scout Report sent out Noted in the NO File Location map pinned Approval or Disapproval Letter Date Completed, P. & A. or operations suspended Pin changed on location map Affidavit and Record of A & F Water Shut-Off Test Gas-Oil Ratio Test Well Log Filed	9-21-	29		
FIL	E NOTATIONS			
Ente Loc. Car	ered in NID File ered On S R Sheet ation Map Pinned d Indexed R for State or Fee Land COMPLETION DAT Date Well Completed OW	9-21-59 TA PA	Checked by Chief Copy N I D to Field Office Approval Letter Disapproval Letter Location Inspected Bond released State of Fee Land	1
)	GR-NN	dicro

Budget	Bureau	No.	42-R3	59.4
Approv				
			- 4-	

Form (A)	n 9- 8 pril 19	331 b 52)	
I	i	ļ	


(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Ag	ency
Allottee	Tribal
	24-20-603-355

NOTICE OF INTENTION	TO DRILL		SUBSEQUEN	T REPORT OF WATER	SHUT-OFF	
OTICE OF INTENTION			l li		ING OR ACIDIZING	,
OTICE OF INTENTION) II		ING CASING	1
OTICE OF INTENTION) li	IT REPORT OF REDRI	LLING OR REPAIR	
IOTICE OF INTENTION	TO SHOOT OR ACIDIZ	E	SUBSEQUEN	NT REPORT OF ABANE	ONMENT	
OTICE OF INTENTION	TO PULL OR ALTER O	ASING	SUPPLEMEN	TARY WELL HISTORY		
OTICE OF INTENTION	TO ABANDON WELL					
	(INDICATE ABOV	E BY CHECK MA	ARK NATURE OF REPO	RT, NOTICE, OR OTHE	R DATA)	
			Corte	s, Coloredo	August 6	. 19
ajo "A"			****		·	
ell No	is located	660 ft.	from ${S \atop S}$ line a	and 1980 ft. f	$\operatorname{from} \left\{ \begin{array}{c} F \\ W \end{array} \right\}$ line of	sec
SW SE Sec.		415	24 8	SLM	()	
(14 Sec. and Sec.	No.)	(Twp.)	(Range)	(Meridian) Utah		
(Field)		(Con	inty or Subdivision)		(State or Territory)	
	ected denths to chiect	tive sands: show	CAILS OF WO	lengths of proposed c	asings; indicate muddi:	ng jobs, cem
tate names of and expe	ected depths to object is	tive sands; showing points, and	CAILS OF WO	lengths of proposed ca proposed work)	asinga; indicate muddi	
ate names of and expe	ected depths to object in	tive sands; showing points, and	TAILS OF WO	lengths of proposed co proposed work)	/8" conductor	r pipe
ate names of and expe	octed depths to object in tole to appro- nurface. Dri	tive sands; showing points, and in the latest an	CAILS OF WO wsizes, weights, and all other important 160°, set 2 to appropriate t	lengths of proposed co proposed work) 160' of 13-3 oximately 16	/8" conductor 00', set 8-5/	r pipe
ate names of and expended in the state of th	octed depths to object iole to appro surface. Dri int to surface	tive sands; showing points, and ominately 11 11" h	rails of Wowsizes, weights, and all other important 160°, set 1 to le to apprend 7-7/8° ho	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
11 17-1/2" h coment to s ing and come 0', run 5-1/	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and constant all 11" has a Drill and constant and const	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 00', set 8-5/	r pipe /gn roximate
11 17-1/2" h coment to s ding and come 0', run 5-1/	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and constant all 11" has a Drill and constant and const	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
11 17-1/2" h coment to s ing and come 0', run 5-1/	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and constant all 11" has a Drill and constant and const	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
11 17-1/2" h coment to s ing and come 0', run 5-1/	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and constant all 11" has a Drill and constant and const	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
11 17-1/2" h coment to s ing and come 0', run 5-1/	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and constant all 11" has a Drill and constant and const	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
ate names of and experience of and experience to a king and come to , run 5-1/	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and constant all 11" has a Drill and constant and const	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
ill 17-1/2" h i cement to s ning and ceme 30', run 5-1/	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and constant all 11" has a Drill and constant and const	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
ate names of and expending a comment to a ming and come to a come	octed depths to object in pole to appro- rurface. Dri ent to surface 2" casing an	tive sands; showing points, and or imetely 11 11" h 100. Dr11 11 consent	"AILS OF WO wsizes, weights, and all other important to leave to approve the control of the cont	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
11 17-1/2" his cement to sing and cement to sing and cement to splete in Dec	poted depths to object in pole to appropriate. Ori ourface. Ori ourface. Ori ourface. Ori ourface. For Creek For	tive sands; showing points, and committely ill ll" had commit to make the committee of the	rails of Wowsizes, weights, and all other important in 160°, set in the set in 160°, set in 160°	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total ximately 250	/8" conductor CO', set 8-5/ depth of appropriately sacks commont	r pipe /gn roximate
ate names of and experience of and experience in a second to a sing and come to a sing and come to a second to be a second to	poted depths to object in pole to appropriate. Ori ourface. Ori ourface. Ori ourface. Ori ourface. For Creek For	tive sands; showing points, and control of the cont	rails of Wowsizes, weights, and all other important of 160°, set in the set i	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total ximately 250	/8" conductor 001, set 8-5/ depth of appr	r pipe /gn roximate
i cement to a sing and cement to a sing a si	coted depths to object in part of appropriate appropriate or surface. Driver casing an east Creek Fo	tive sands; showing points, and control of the cont	rails of Wowsizes, weights, and all other important of 160°, set in the set i	lengths of proposed co proposed work) 160° of 13-3 oximately 16 le to total ximately 250	/8" conductor CO', set 8-5/ depth of appropriately sacks commont	r pipe /gn roximate
I understand that the ompany	is plan of work must	tive sands; showing points, and constitution. Prince Drill the Dr	rails of Wowsizes, weights, and all other important of 160°, set in the set i	lengths of proposed coproposed coproposed work) 160° of 13-3 oximately 16 16 to total commately 250 Geological Survey between the command of the command	/8" conductor 00', set 8-5/ depth of appr sacks coment	pipe rordmate
ill 17-1/2" he dement to a sing and come to a sing	is plan of work must	tive sands; showing points, and constitution. Prince Drill the Dr	rails of Wowsizes, weights, and all other important of 160°, set in the set i	lengths of proposed coproposed coproposed work) 160° of 13-3 oximately 16 16 to total commately 250 Geological Survey between the command of the command	/8" conductor CO', set 8-5/ depth of appr sacks coment	pipe rordmate

Company Pl	HILLIPS PETROLE	UM COMPANY	
Lease NAVA	JO ***		No23
	, T. 41 SOUTH		
	FROM THE SOUTH	H LINE AND 19	80' FROM
Elevation46	19.0 UNGRADED (GROUND	



Scale-4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Land

Seal:

Registered Land Surveyor.

JAMES P. LEESE

UTAH REG. NO. 1472

Surveyed 28 DECEMBER 19.57

August 10, 1959

Phillips Petroleum Company P. O. Box 1150 Cortex, Colorado

Attention: C. M. Boles,

District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo A-23, which is to be located 660 feet from the south line and 1980 feet from the east line of Section 21, Township 41 South, Range 24 East, SLEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. PRIGHT EXECUTIVE SECRETARY

CHF 100

cc: P. T. McGrath, Dist. Eng. U. S. Geological Survey Parmington, New Mexico

9 11	Form 9-331 b (April 1952)	
No.		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bureau No. 42-R359.4. Approval expires 12-31-60.
Indian .	Agency
	Tribal
Allotte	14-20-603-355
I anan N	

SUNDRY NOTICES AND REPORTS ON WELLS

		1
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
	SUBSPOUENT REPORT OF SHOOTING OR ACIDIAMITE	
NOTICE OF INTENTION TO CHANGE PLANS	CURSOLIENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF REPORT INC. OF REPAIR	
DEDAID WELL	SUBSECUENT REPORT OF REDRILLING OF THE THE	
TOTAL OF LODIER	SURSPONENT REPORT OF ADAMDONMENT	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO POLE OR ALTER CASHO		
NOTICE OF INTENTION TO ABANDON WELL		<u></u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		Cortes,	Colorado	Sephember 23	19
Nevajo "A" Well No. 23 is locat	ed 660 ft. f	$\operatorname{rom}\left\{ egin{array}{c} ar{\mathbf{S}} \end{array} \right\} \operatorname{line}\left\{ \mathbf{S} \right\}$	and 1980 ft.	from ine of sec.	21
Sw 30 Sec. 21	41 8	24F	SLM		
(½ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridia	Utah	
White Hess (Field) ungrade The elevation of the derrick A	od ground (Coun	ty or Subdivision) level is461	9• 9 .	(State or Territory)	

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

Pulled tubing. Fan Gamma Ray Collar Locator log to 5594'. Perforated Desert Creek with 4 jet shots per foet from 5426-30, 5432-36, 5450-64, 5500-06, 5510-24, 5527-34 EL and RL measurements. Ran 173 jts. 2-7/8" OD EUE tubing with Baker EGJ packer (Hooksall). Tubing set 5535.11. Packer at 5536.51. Released rotary 6:00 A.M. 9-17-59. Hoved in well service unit. Acidisod perforations 5426-30, 5432-36, 5450-64, 5500-66, 5510-24, 5527-34 9-20-59 with 7000 gallons regular acid and 200 gallons block. Flushed with 34 barrols of oil. Injection rate 4 BPM. Maximum pressure 3600%. Minimum pressure 1500%. Flush rate 6.9 BPM, 1500% to 1200%. Block on forwation pressure increased from 2200 to 3000#. Well went on vacuum immediately. Flowed 448 80, 0 water through 3/4" choke in 24 hours. FTP 190%. 252.2 MCF Gas. GOR 563.

I understan	d that this plan of work must receive approval in writing by the Phillips Petroleum Company	Geological Survey before operations may be commenced.
	P. O. Brawer 1150	11. m
Address	Cortes, Colorado	By C. N. Boles
1		Title District Superintendent

! \pi = 0	Form (Ar	1 9-3 oril 195	31 b (2)	
\mathcal{V}_{-}				
l				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY


Indian Age	ncy Navaje
Allottee	Tribal
Lease No.	14-20-603-355

SUNDRY I					X
TICE OF INTENTION TO DRILL		SUBSEQUENT REPO	RT OF WATER SHU	T-OFF	
TICE OF INTENTION TO CHANGE PLA	ANS	SUBSEQUENT REPO	RT OF SHOOTING	OR ACIDIZING	
OTICE OF INTENTION TO CIRCUSE TE OTICE OF INTENTION TO TEST WATER	R SHUT-OFF	SUBSEQUENT REPO	ORT OF ALTERING (ASING	
OTICE OF INTENTION TO REDRILL OF	R REPAIR WELL	SUBSEQUENT REPO	ORT OF REDRILLING	OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR	ACIDIZE	E SHREEGGEN I IVE	ORT OF ABANDONM	ENT	
NOTICE OF INTENTION TO SUCL OR AL	LTER CASING	SUPPLEMENTARY	WELL HISTORY		
NOTICE OF INTENTION TO ABANDON V	WELL				
(INDICATI	E ABOVE BY CHECK MARK	NATURE OF REPORT, NO	tice, or other da	TA)	
		Cortes, Co	lorado S	ptember 28	, 19.
Navajo "A" ell Nois loc	660 catedft. fro	om $\binom{N}{S}$ line and	1960 ft. from		
SW SE Sec. 21	11 5 2	4E`	SLM		
	(Twp.)	(Range)	(Meridian)		
(14 Sec. and Sec. No.)	Sen Juan	-		(State or Territory)	
The elevation of the derrick (State names of and expected depths to 1721.	DETA to objective sands; show sing points, and all t 4:00 P.M. 8- Set and cessen	ILS OF WORK izes, weights, and lengt other important proportion 21-59. Drill ted 4 jts. 13	hs of proposed casir sed work) ed 12-1/4* -3/6* OD 27	.l# Armos Si	cement. 3
State names of and expected depths to predict 12-1/4" hole at 7-1/4" hole at 7-1/4" hole to 172". Ith Halliburton Texas alcium Chloride. Fum hloride. Job complet rilled 11" hole to 13 alliburton Type E Flox. Diacel "D", 620% Cx. regular coment are	DETA to objective sands; show sing points, and all t 4:00 P.M. 8- Set and cement Pattern Ouide ped plug to 14 ded 11:12 A.M. Ast. Set and cat collar and calcium Chlorid cund shoe. Pum	ILS OF WORK izes, weights, and lengt other important proport 21-59. Drill ted 4 jts. 13 Shoe at 172' 2'. Circulat 8-22-59. W.O cemented 44 j guide shoe at 1, 165# Floca ped plug to 1	hs of proposed casirs sed work) ed 12-1/4" -3/6" OD 27 with 175 ed out 75 .C. 24 hour ts 8-5/6" 1347.73' 10, 660% The second sec	ol# Armoo Six. regular (m. cement, see on 24/ J-55 dith 330 sx. off Plug fol culated 140 resment, 2%	casing without fit. Calcium
State names of and expected depths to pudded 12-1/4" hole at 7-1/4" hole at 7-1/4" hole at 172°. Ith Halliburton Texas aleium Chloride. Pum hloride. Job complet rilled 11" hole to 13 alliburton Type E Flox. Diacel "D", 620% Cx. regular coment are ropped back in annulum hloride. Completed 3 alliburton.	DETA to objective sands; shows in points, and all t 4:00 F.M. 8-4 Set and comen's Pattern Ouide ped plug to 14 ded 11:12 A.M. ded 11:12 A.M. det collar and calcium Chlorid bund shoe. Pum 18:45 P.M. 8-24- Continued on be cork must receive approva	ILS OF WORK IZES, weights, and lengt other important proport 21-59. Drill ted 4 jts. 13 Shoe at 172 2'. Circulat 8-22-59. W.O commented 44 j guide shoe at 165# Flocat ped plug to 1 sulus with 30 59. Tested ca ack) lin writing by the Geo	ts 8-5/8" 1347.73' 10, 660% To sing 750%	ol# Armos Si Ex. regular (Ex. cement, 1786) OD 24# J-55 dith 330 Ex. off Plug fol- culated 140 r cement, 2% 30 mins-Test	casing wood of the Calcium
State names of and expected depths to pudded 12-1/4" hole at 7-1/4" hole at 7-1/4" hole at 172". Ith Halliburton Texas aleium Chloride. Pum hloride. Job complet rilled 11" hole to 13 alliburton Type E Flox. Diacel "D", 620% Cx. regular coment are ropped back in annulus hloride. Completed 3.0.C. 24 hours.	DETA to objective sands; shows in points, and all t 4:00 P.M. 8-6 Set and cement Pattern Ouide ped plug to 14 ded 11:12 A.M. 148'. Set and cat collar and calcium Chlorid pund shoe. Pun 3:45 P.M. 8-24- Continued on be cork must receive approva	ILS OF WORK IZES, weights, and lengt other important propi 21-59. Drill ted 4 jts. 13 Shoe at 172 21. Circulat 8-22-59. W.O commented 44 j guide shoe at guide shoe at is, 165# Floca ped plug to 1 mulus with 30 -59. Tested ca ack) lin writing by the Geo	ts 8-5/8" 1347.73' 10, 660% To sing 750%	ol# Armos Si Ex. regular (Ex. cement, 1786) OD 24# J-55 dith 330 Ex. off Plug fol- culated 140 r cement, 2% 30 mins-Test	casing wood of the Calcium
State names of and expected depths to pudded 12-1/4" hole at 7-1/4" hole to 172". Ith Halliburton Texas aleium Chloride. Pum hloride. Job complet rilled 11" hole to 13 alliburton Type E Flox. Diacel "D", 620" Cox. regular cement are ropped back in annulus hloride. Completed 3 1 understand that this plan of we Phillips Pet Company	DETA to objective sands; show sing points, and all t 4:00 P.M. 8-3 Set and cement Pattern Ouide ped plug to 14 ded 11:12 A.M. ded 11:12 A.M. det collar and calcium Chlorid bund shoe. Pum 18:45 P.M. 8-24- Continued on be rock must receive approva	ILS OF WORK IZES, weights, and lengt other important propi 21-59. Drill ted 4 jts. 13 Shoe at 172 21. Circulat 8-22-59. W.O commented 44 j guide shoe at guide shoe at is, 165# Floca ped plug to 1 mulus with 30 -59. Tested ca ack) lin writing by the Geo	the of proposed casing sed work) ed 12-1/4" -3/8" OD 27 with 175 and out 75 and out 7	Armoo Sinc. regular (m. cement, 1986) OD 24/ J-55 with 330 sm. off Plug fol sulated 140 recement, 25 mins-Test	casing wood of the Calcium
State names of and expected depths to midded 12-1/4" hole at 172". th Halliburton Texas leium Chloride. Purpleride. Job complet willed 11" hole to 13 alliburton Type E Flow. Placel "D", 620% Completed 20.0.C. 24 hours. (Completed 3.0.C. 24 hours. (Company P. O. Drawe:	DETA to objective sands; shows ing points, and all t 4:00 P.M. 8-4 Set and sement Pattern Juide ped plug to 14 ded 11:12 A.M. MAS'. Set and Calcium Chlorid bund shoe. Pum 18:45 P.M. 8-24- Continued on be ork must receive approva troleum Company r 1150	ILS OF WORK IZES, weights, and lengt other important propi 21-59. Drill ted 4 jts. 13 Shoe at 172 21. Circulat 8-22-59. W.O commented 44 j guide shoe at guide shoe at is, 165# Floca ped plug to 1 mulus with 30 -59. Tested ca ack) lin writing by the Geo	the of proposed casing sed work) ed 12-1/4" -3/8" OD 27 with 175 and out 75 and out 7	ol# Armos Si Ex. regular (Ex. cement, 1786) OD 24# J-55 dith 330 Ex. off Plug fol- culated 140 r cement, 2% 30 mins-Test	casing wood of the Calcium
state names of and expected depths to unded 12-1/4" hole at 172". th Halliburton Texas leium Chloride. Pum loride. Job complet willed 11" hole to 13 alliburton Type E Flow. Diacel "D", 620% Company Company Company Company P. O. Drawer	DETA to objective sands; shows ing points, and all t 4:00 P.M. 8-4 Set and sement Pattern Juide ped plug to 14 ded 11:12 A.M. MAS'. Set and Calcium Chlorid bund shoe. Pum 18:45 P.M. 8-24- Continued on be ork must receive approva troleum Company r 1150	ILS OF WORK IZES, weights, and lengt other important propi 21-59. Drill ted 4 jts. 13 Shoe at 172 21. Circulat 8-22-59. W.O commented 44 j guide shoe at guide shoe at is, 165# Floca ped plug to 1 mulus with 30 -59. Tested ca ack) lin writing by the Geo	to of proposed casir sed work) ed 12-1/4" -3/8" OD 27 with 175 ed out 75 .C. 24 hour to 8-5/8" 1347.73' 10, 660% To 315'. Cir ex. regular sping 750% By. N. Bol	Armoo Sinc. regular (m. cement, 1986) OD 24/ J-55 with 330 sm. off Plug fol sulated 140 recement, 25 mins-Test	casing was casing was comment, it cannot be comment, it cannot be calcium ed O.K.

Drilled 7-7/8" hole 5624' at 4:00 F.M. 9-14-59. Ran Schlumberger ES Induction FS Induction, Micro caliper and Gamma Ray Neutron logs to 5626'. Set and cemented 153 jts. 5-1/2" 14# J-55 casing at 5622.35' with 132 ax. cement, 100 ax. Diacel "D", 496# Calcium Chloride. Pumped plug to 5601' at 1:25 P.M. 9-15-59. Tagged bottom with tubing at 5593.60'. Tested casing 750# for 30 minutes - O.K. N.D.C. 24 hours.

12

Form 9-330



U. S. LAND OFFICE Nava jo

SERIAL NUMBER 14-20-603-355

LEASE OR PERMIT TO PROSPECT Tribal

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOC	ATE WELL	CORRECTE		t i transfer j		THE MAY STATE OF THE STATE OF	•	و کما	
		lips Petro			and the same of th	P. D. Drawer			
essor	or Tract_	Lavajo_	HAH LANDE	عساجية لأمانات	Field -	hite less.	State	Liteh	-
	——————————————————————————————————————					Cou		5	4.8 YEAR OLD TO THE RESERVE OF THE R
ocati	on .660	ft. N. of S.	Line ar	11.080 ft	of F	Line of your Sec.	21	Eleve	tion 4630
						t record of the we			
o far	as can be	determined fr	om all av	ailable re	cords.	Ehr.	(3)	2 4	
									VIVAC NOS
ate	Septer	ber_30, 19	59	* ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	er grand transfer of	Title Die	riet o	perint	endant
(1)	he summa	ry on this pas	ge is for t	he conditi	on of the well	at above date.	ji Dare wili Markatan	ANTONIO Antonio	r da 17 Harada da da
omm	enced dril	lingAug	ust-21-	·, 1	9- -59 - Finish	ed drilling	Septembe	r 14	, 19. 59.
(3)	ur a store	1.1 3.20 B	OI	L OR G	AS SANDS O	R ZONES	_		
4.3						. Ozdaje a Ostoje († 1866) Na ozganica na Ostoje († 1866)			
lo. 1,	from	in the second second	fo		No.4,	from the later of the control of the	to	115 <u>7-11</u> 51 116-115	
lo. 2,	from						· · .		
			- to		No. 5	, from	·): 	
To. 3,	from		7 5		Na 6	from	To the		16 k.*
No. 3,	from		to Live	<u> </u>	No. 6,	from	To the		16 k.*
٠.,	iden i 👣	er toggeren fil	≥to <u></u>	MPORT/	No. 6,	from SANDS	Tille Co		投 集* 分*の 投
 Mar.an. Mar.	Frankds.	enger 20 Les (s. 60 ebore, 1356	eto Liv	MPORTA	No. 6, ANT WATER	from SANDS	Tille to)	48.*
.: £a. .α ï ⁄	Frankds.	enger 20 Les (s. 60 ebore, 1356	eto Liv	MPORTA	No. 6, ANT WATER No. 4	from SANDS From from	to	1	ick* Are in. Argan.
.: £aa¥	Frankds.	enger 20 Les (s. 60 ebore, 1356	eto Liv	MPORTA	No. 6, ANT WATER No. 4	from SANDS		000 000 000000 000000 000000 000000	ick* Are in. Argan.
No. 2,	Frankds.	enger 20 Les (s. 60 ebore, 1356	eto Liv	MPORTA	No. 6, ANT WATER No. 4 BING REGOR	from SANDS From from	to	000 000 000000 000000 000000 000000	ick* Are in. Argan.
No. 2,	from	Threads per inch	to I	MPORTA OR 2450 CAS Amount	No. 4 No. 4 Kind of shoe	from SANDS From from	tc Perfo		ARTONIO
No. 2,	from	Threads per inch	to I	MPORTA OR 2450 CAS Amount	No. 4 SING REGOI	from SANDS From from	tc Perfo		ARTONIO
No. 2,	from	Threads per inch	Make	MPORTA CAS Amount	No. 4 No. 4 SING REGOI	from SANDS From from	tc Perfo		ARTONIO
To. 2,	from	Threads per inch	Make	CAS	No. 4 No. 4 SING REGOI	from SANDS From from	tc Perfo		ARTONIO
No. 2,	from	Threads per inch	Make	CAS	No. 4 No. 4 SING REGOI Kind of shoe	from SANDS From from	Performence 54.50		ARTONIO
To. 2,	from	Threads per inch	Make Make Article Science Article Sci	CAS Amount 1660	No. 4 No. 4 SING REGORE Kind of shoe	from SANDS From Cut and pulled from Cut and pulled from Experiment of the cut and pulled from Light of the cut and pulled from the cut a	Perform—	To-	ARTONIO
Yo. 43 , No. 2,	from	Threads per inch	Make Make Article Science Article Sci	CAS Amount 1660	No. 4 No. 4 SING REGORE Kind of shoe	from from from Cut and pulled from cuts a control of the cuts and pulled from poen up to the cuts and th	Perfor	To-	Purpose Purpose Qui purpose
No. 2,	from	Threads per inch	Make Make Article Science Article Sci	CAS Amount 1260 19645 DING AN	No. 4 No. 4 SING REGORE Kind of shoe	from SANDS From Cut and pulled from Cut and pulled from Experiment of the cut and pulled from Light of the cut and pulled from the cut a	Perform— 54.26 -54.50 -55.00 -55.27	To-	Purpose Con purpo
No. 2,	Weight per foot	Threads per inch	Make Make Area of the control of t	CAS Amount 1260 19645 DING AN	No. 4 No. 4 SING REGORE Kind of shoe	from SANDS From Cut and pulled from Cut and pulled from English and pulled from Lips a serior gers ING RECORD	Perform— 54.26 -54.50 -55.00 -55.27	To— 5434 5404 5506 5534	Purpose Con purpo
Size casing	Weight per foot Weight per foot William In the foot Where se	Threads per inch	Make Make Armana S Arma	CAS Amount 1266 13645 DING AN	No. 4 No. 4 No. 4 No. 4 SING REGOI Kind of shoe Howco Howco Method used	from SANDS From Cut and pulled from Music No. 100. 200. 200. 200. 200. 200. 200. 200	Performance 54.26 -54.50 -55.00 -552.7	rated To— 5430 5506 5524 5534	Purpose 13 CL purpose 14 CL purpose 15 COLLEGE ASSE 1
Size casing	Weight per foot Wings Where so	Threads per inch	Make Make Armes Arme	CAS Amount 1266 13645 DING AN	No. 4 No. 4 SING REGOREMANT Kind of shoe Howco Howco Circulated Circulated Circulated	from from from Cut and pulled from cut and pulled from mano in the case as block at a record Mud gravity (Filled Stanu	Performance 54.26 -54.50 -55.00 -552.7	rated To— 5430 5506 5524 5534	Purpose 13 CL purpose 14 CL purpose 15 COLLEGE ASSE 1
Size casing	Weight per foot Weight per foot William In the foot Where se	Threads per inch	Make Make Armana S Arma	CAS Amount 1266 13645 DING AN	No. 4 No. 4 No. 4 No. 4 SING REGOI Kind of shoe Howco Howco Method used	from from from Cut and pulled from cut and pulled from mano in the case as block at a record Mud gravity (Filled Stanu	Performance 54.26 -54.50 -55.00 -552.7	rated To— 5430 5506 5524 5534	Purpose 13 CL purpose 14 CL purpose 15 COLLEGE ASSE 1
Size easing	Weight per foot Wings Where so	Threads per inch	Make Make Armes Arme	CAS Amount 1260 1965 DING AN Sment	No. 4 No. 4 SING REGOREMANT Kind of shoe Howco Howco Circulated Circulated Circulated	from from from Cut and pulled from Mage in the frequency bless state in deta ING RECORD Mud gravity (Filled Stanu	Performance 54.26 -54.50 -55.00 -552.7	rated To— 5430 5506 5524 5534	Purpose 13 CL purpose 14 CL purpose 15 COLLEGE ASSE 1
Size casing /2	Weight per foot Winere so 172 1348 5622	Threads per inch Strain Number 175 800 550	Make Make Area of the control of t	CAS Amount 166 1964 DING AN Sment 3% CC	No. 4	from from from Cut and pulled from Mage in the frequency bless state in deta ING RECORD Mud gravity (Filled Stanu	Perform- 54.50 -55.00 -55.27 -54.50 -55.27	To— 5434 5506 5534 mount of n	Purpose Out Population Out P
Size casing Size casing Size casing 1/2 Size casing 1/2 Leavi	Weight per foot Winere so 172 1348 5622	Threads per inch Threads per	Make Make Area of the control of t	CAS Amount 166 1964 DING AN Sment 3% CC	No. 4 No. 4 SING REGOREMENT Howeo Circulated Circulated Circulated Halliburd AND ADAF Length	From from Cut and pulled from Cut and pulled from Experiment of the case o	Perform 5426 5450 5510 5527 An	74-34 54-34 55-34 55-34 55-34	Purpose Out Population Out P

ž 5	-1/2	5622	5 5 0 cu	It	Hallib	urton		
FOLD	Heaving pl	ug—Materia	1		S AND AL Length			th set
	${f Adapters}-$	-Material			Size			
	Size	Shell used	Ex	plosive used	Quantity	Date	Depth shot	Depth cleaned out
	*****			7	TOOLS US	ED		
	Rotary too	ls were used	from	••• feet	to -5624	feet	, and from	feet to feet
				I .	Ŧ -			feet to feet
	epter	ber 30	,	¹ 59	1	t to prod	lucing Septe	aber 21 19 ₅₉
	The p	roduction for	the first					190% was oil;%
	emulsion;	% water	; and	% sediment.			Gravity, °Bé.	
	If gas	well, cu. ft.	per 24 ho	µrs	Gall	ons gasc	oline per 1,000 c	u. ft. of gas
	Rock	pressure, lbs.	per sq. i	n. 1129 9	00			
					EMPLOYE			75 111
		1		Driller	:			, Driller
				Driller				, Driller
]	AATION R	ECORL		
	FROM—	T	0	TOTAL FEET			FORMAT	TON
218	30	2280)	160	Shir	na rum p		
228	30	2380)	100	Moer	rk o pi		
238	3 0	2470)	90	Cut	ler - H	oskinini Equ	ivalent
247		2670		2.00	Cut	ler - D	e Chelly Semi	per
267 441		4410 5249		1740		ler - O iker Tr	rgan Pock Mer	nber
				8 3 7				
524	ب	5406	•	157	Pare	dox -	Ismay zone	
540)6	5624	•	218	Pars	dox -	Desert Creek	zone.

PORCHASTON Despendence

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and lecation. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

Spudded II-1/2 hole at 4:00 P. H. 8-21-59. Arilled 12-1/4" hole to 173'. Reamed 17-1/4" hole to 172'. Set and cemented 4 its. 13-3/8" OD 27.1% Armco SW J casing with Halliburton Texas Pattern guide shoe at 172' with 175 ex. regular 16 cample 18:00 A.M. 8-22-59. 10.0.0. 24 hours.

Callerante il aggiagny annes i Chapter i merjin, que un i

Drilled 11" hole to 1348'. Set and cemented 44 jts. 8-5/8" OD 24# J-55 casing with malliburton Type F Float collar and Guide Shoe at 1347.73' with 330 sx. cement, 126 sx. Diacel, D, 620# Calcium Chloride, 165# Flocele, 660# Tuff Plug, followed with 125 sx. regular cement around shoe. Pumped plug to 1315'.

Circulated 140 cu. ft; cement - dropped back in annulus. Filled annulus with 30 sx. regular cement, 2% Calcium Chloride. Completed 3:45 P.M. 8-24-59. Tested casing 750# 30 minutes of 0782 Walls. Calcium.

Drilled 7-7/8" hole to 5624' at 4:00 P.M. 9-14-59. Fan Schlumberger ES Induction Mipro Californ and General Resultant Constant Community Section Calcium Chloride. Pumped plug to 5601' at 1:25 f.M. 9-15-59. Tagged bottom with tubing at 5593.60'. Tested casing 750% for 30 minutes - 0.1. 1.0.6. 24 hours.

Palled tubing. Sirem Cambe Ray Collar locator log to 95910 Mollar Desertation Desertation Comments with 4 Jet shots per foot from 5426-30, 5432-36, 5450-64, 5500-06, 5510-24, 5527-34 EL and RL measurements. Ran 173 jts. 2-7/8" OD EUE tubing with Baker EGJ packer Mollar Let 5535.11 Lie Packer at 5536.51. Released retary 6:00 resource. 9426-30, 5432-36, 5450-64, 5500-06, 5510-24, 5527-34 9-20-59 with 7000 gallons regular acid and 200 reasons block. Flushed with 34 barrels shoft. Injection rate 4 SPM: Maximum pressure 3600%. Minimum pressure 1500%. Flush rate 6.9 EPM, 1500% to 1200%. Block on formation pressure increased from 2200 to 3000%. Well went on vacuum immediately. Flowed 448 80, Olwater table O.M. and G. M.C. M.E. F. 190%.

GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR

UMULU SINIES

U.S. LAND GERREL MANGE OF THE CONTROL OF THE CONTRO

get through No. 12-19265 a. a proyal expires 12-51-66.

gyabaya kac

5,05,20 9~0<u>9</u>0

एष्टाटा ८००

4604*10s

Form 9-331 (May 1963)

SUBMIT IN T

Form approved. Budget Bureau No. 42-R1424.

DATE _

		MENT OF THE INTER	RIOR verse side)	5. LEASE DESIGNATION	
		TICES AND REPORTS osals to drill or to deepen or plus CATION FOR PERMIT—" for such		6. IF INDIAN, ALLOTTE	
1. oil ┌➡ 6	SAS OTHER			7. UNIT AGREEMENT N	AME
2. NAME OF OPERA		instruction.		8. FARM OR LEASE NA	
3. ADDRESS OF OP	ERATOR			9. WELL NO.	
4. LOCATION OF W	ELL (Report location	clearly and in accordance with an	ny State requirements.*	10. FIELD AND POOL,	OR WILDCAT
See also space At surface	17 below.)			Greater 11. SEC., T., R., M., OR	
	from South	Line; 1980' from Fa	ot line	SURVEY OR ARE	A
14. PERMIT NO.		15. ELEVATIONS (Show whether 4619.0' un	DF, RT, GR, etc.) graded ground	12. COUNTY OR PARIS	13. STATE
16.	Check A	appropriate Box To Indicate	Nature of Notice, Report, o	or Other Data	
	NOTICE OF INTE	INTION TO:	SUB	SEQUENT REPORT OF:	
TEST WATER S		PULL OR ALTER CASING MULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT	REPAIRING ALTERING	
SHOOT OR ACH	-	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMI	INT*
REPAIR WELL (Other)	22 0000 (1 000)	CHANGE PLANS	(Other)(Note: Report re	sults of multiple completion ompletion Report and Log fo	on Well
10,000 gr	allons 287 ac	', squeeze Subsone I aid, return to produ queeze all perforati	etion. If communic ons and reperforate	stions exist bet	
	y that the foregoing.		Giotrict Superintend	ion t 9-2-	66
		is true and correct	District Superintend	iont 9-23-	66

TITLE _

(This space for Federal or State office use)

APPROVED BY ______ CONDITIONS OF APPROVAL, IF ANY:

DEPAI	L .ED STATES RTMENT OF THE INTERIOR	SUBMIT IN TRTI (Other instructions on it verse side)	5. LEASE DESIGNATION	u No. 42-R1424. AND SERIAL NO.
<u> </u>	GEOLOGICAL SURVEY		14-20-603	
	OTICES AND REPORTS ON roposals to drill or to deepen or plug back LICATION FOR PERMIT—" for such propos		6. IF INDIAN, ALLOTTER	
1. OIL FW GAS			7. UNIT AGREEMENT NA	
WELL GAS WELL OTHE	ĉR		8. FARM OR LEASE NAM	
Millips Form	M. Escalantia (Con		Satherford	
3. ADDRESS OF OPERATOR	ATOMA OF S		9. WELL NO.	
	tes, Colorado 81321 ion clearly and in accordance with any Stat	e requirements.•	21-34 10. FIELD AND POOL, OR	R WILDCAT
At surface			11. SEC., T., B., M., OR E	LE. AND
660' FSL; 1980'	VBL SW SE Sec. 21		SURVEY OR AREA	S.L.X.
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT,		12. COUNTY OR PARISH	13. STATE
				1
16. Check	Appropriate Box To Indicate Natu	re of Notice, Report, or	Other Data	
NOTICE OF I	NTENTION TO:	SUBS	EQUENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING V	VELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CA	
SHOOT OR ACIDIZE	ABANDON*	(Other) QUESTS SW	ABANDONMEI	NT*
REPAIR WELL (Other)	CHANGE PLANS	(Note: Report resu	lts of multiple completion npletion Report and Log for	on Well
Pumped into Tesert (6 pulled rode and tubing, Greek Zene II perforations with 135 mm. Pulled tub '. 'cidited Decert Greek	, did not have or ing with retainer	r. Rem retriava	eusezed
28% acid and 500 galwell. Killed well, PREVIOUS PRODUCTION	llens cil with 1500# moth pulled pecker, reran tubi 18 BOPD, 2 MCPGPD, 690 108 BOPD, 86 MCPGPD, 1 B	balls in two stag ng and rods, stag BWPD	ges. Swabbed an	gallons

TITLE ___

DATE _

APPROVED BY ______ CONDITIONS OF APPROVAL, IF ANY:

PHILLIPS PETROLEUM COMPANY P. 0. Drawer 1150 Cortez, Colorado 81321

December 31, 1966

In re: Ratherford Unit Monthly Operating Report November 1966

Page No. 2

IV. WORKOVERS

Ratherford Unit 4-14 (Squeeze and acidize)

On November 13, 1966 set retrievamatic packer at 5279'. Squeezed all perforations with 110 sacks cement. Pulled tubing and packer, reran tubing with bit, drilled out cement from 5279' to 5435'. Pulled tubing and bit. Reperforated Desert Creek Zone I 5384-88' and 5411-18'. Ran tubing with packer, set at 5279'. Acidized Desert Creek Zone I through 2½" bare tubing and packer with 10,000 gallons 28% acid in two stages separated by 500 gallons oil with 1000# moth balls. Swabbed well, pulled tubing and packer, reran tubing and rods and started well pumping November 19, 1966. Daily production was 33 BO, and 513 BW before the treatment, and 33 BO and 480 RW 15 days following the treatment. As it is apparent Zone II squeeze was not successful, supplemental funds have been requested to attempt another squeeze of Zone II.

Ratherford Unit 14-33 (Plug back and acidize)

On November 2, 1966 pulled rods and tubing, ran wireline to 5581°, dumped 16 gallons Calseal, plugged back to 5571° PBTD. Ran tubing with retrievamatic packer, set at 5433°. Acidized Desert Creek Zone I, open hole, through 2½° bare tubing and packer with 10,000 gallons 28% acid in two stages separated by 500 gallons oil with 1500% moth balls. Pulled tubing with packer, reran tubing and rods. Well would not pump. Pulled rods and tubing, ran sand pump, could not pump out sand. Ran drilling equipment, cleaned out from 5566° to 5571° PBTD using reverse circulation. Pulled drilling equipment, ran tubing and rods, started pumping November 9, 1966. Daily production before the treatment was 4 BO and 0 BW, and twelve days following the treatment, production was 2 BO and 26 BW (load water). Well was shut down in December.

Ratherford Unit 21-34 (Plug back and acidize)

On November 21, 1966 pulled rods and tubing, ran tubing with cement retainer and set at 5483'. Found no communications between Zone I and II. Squeezed Zone II perforations below retainer with 135 sacks cement. Pulled tubing, reran tubing with retrievamatic packer and set at 5381'. Acidized Zone I through 2½" bare tubing and packer with 10,000 gallons 28% acid in two stages separated by 500 gallons oil with 1500% moth balls.

PHILLIPS PETROLEUM COMPANY P. O. Drawer 1150 Cortez, Colorado 81321

December 31, 1966

In re: Ratherford Unit Monthly Operating Report November 1966

Page No. 3

Swabbed well, pulled tubing with packer, reran tubing and rods and started well pumping on November 25, 1966. Daily production was 18 BO and 690 BW before the treatment, and nine days following the treatment, production was 108 BO and 1 BW.

Ratherford Unit 16W43 (Acid Job)

On October 22, 1966 pulled cement lined tubing, reran 2½" tubing with retrievamatic packer and set at 5469%. Unable to acidize due to high pressure injection system being down. On November 16 acidized Desert Creek Zone I through 2½" bare tubing and packer with 15,000 gallons 28% acid in three stages, each stage separated by 1000 gallons salt plug mixed 3.4#/gallon. Hooked back up for injection. Daily injection rate was 118 BW at 2225# before the treatment and six days following the treatment, the injection rate was 210 BW at 2400#.

Ratherfor Unit 17W21 (Acid Job)

On November 21, 1966 pulled cement lined tubing, ran $2\frac{1}{2}$ " tubing and retrievamatic packer, set at 5480°. Acidized Desert Creek Zone II through $2\frac{1}{2}$ " bare tubing and packer with 5000 gallons 15% acid in two stages separated by 1000 gallons salt plug mixed 3#/gallon. Hooked back up for injection. On November 30, 1966 pulled $2\frac{1}{2}$ " tubing with packer, reran $2\frac{1}{2}$ " cement lined tubing, resumed injection. Daily injection rate was 593 BW at 535# before the treatment, and nine days following the treatment, the injection rate was 3500 BW on vacuum.

Ratherford Unit 29W21 (Acid Job)

On November 4, 1966 acidized Desert Creek Zone II perforations through $2\frac{1}{2}$ " bare tubing and packer with 5000 gallons 15% acid in two stages separated by 1000 gallons salt plug mixed 3#/gallon. Resumed injection. Daily injection rate was 518 BW at 445# before the treatment and 4 days following the treatment, the injection rate was 3456 BW on vacuum.

Respectfully submitted, PHILLIPS PETROLEUM COMPANY

CM Bales

C. M. Boles

District Superintendent

OIL & GAS CONS	ERVATI COM	MISSION	verse side)	96-004192	
SUNDRY NOT (Do not use this form for propo Use "APPLIC."	TICES AND REPO	ORTS ON	WELLS	6. IF INDIAN, ALLOTTER Navajo	or teide namb
1. Use "APPLIC.	ATION FOR PERMIT—	10F such proposa	U 1 ,)	7. UNIT AGREEMENT NA	
OIL WHIL OTHER				Ratherford	
Phillips Oil Comp	any			8. FARM OR LEASE NAM	
S. ADDRESS OF OFERATOR				9. WELL NO.	· · · · · · · · · · · · · · · · · · ·
P. O. Box 2920, C			requirements 9	10. FIELD AND FOOL, O	E WILDCAT
See also space 17 below.) At surface	Hearly and in accordance	WILL RES STREET	requirements.	N/A	
See Attached				11. SEC., T., E., M., OR S	ILK. AND
				See Attacl	hed
14. FERMIT NO	16. ELEVATIONS (Show	whether DF, XT, O	ir, eta.)	12. COUNTY OR PARISH	18. STATE
See Attached				San Juan	Utah
16. Check A	ppropriate Box To In	dicate Natur	e of Notice, Report, o	or Other Data	
NOTICE OF INTER	STION TO:	1	SUB	SEQUENT EXPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING		WATER SHUT-OFF	REPAIRING V	- 1
FRACTURE TREAT	MULTIPLE COMPLETE		PRACTURE TREATMENT SHOOTING OR ACIDIZING	ALTERING C.	
BHOOT OR ACIDIZE	CHANGE PLANS		(Other)		
(Other)			Completion or Rec	sults of multiple completion ompletion Report and Log for	гш.)
17. DESCRIBE PROPOSED OR COMPLETED OPI proposed work. If well is directi nent to this work.) * To show change of	Operator only.	Phillips	oil Company as	sumed operations	; and zones perti
effective December for list of wells.	-	Phillips F	Petroleum Compan	y. See attached [DEGEIV	
ing.	, -	!			1000
120 m	21-	> 1		11 1 1 1 1 1 1 1 1 1	}
	K '			The second secon	
				to the commence of the commenc	
Org.& 3-BLM					
1-The Navajo Natio		1-Michea	t Klabzuba al J. Moncrief	1-Shell Oil Co. 1-Southland Roya	
1-Lawrence E. Broo	sk .			1-Superior Oil C 1-Leroy Shave	0.
1-Cheveron USA 1-Ralph Faxel	,		. Moncriei H. Morgan		
1-Royal Hogan		1-W. A.	Moncrief	1-Wade Wiley, Jr	•
1-W. O. Keller		1-W. A.	Moncrief, Jr. Peterson	1-Edwin W. Word,	Jr.
1-Dee Kelly Corp.		1-L. r.	reterson	1-1116	
18. I hereby certify that the foregoing	is true and correct	- L. M. Mila			
		rte Arga Mi	anager	DATE 12/6/8	13
SIGNED / C July		TOO ALCO III			_
(This space for Federal or State of		mr 19		DATE	
APPROVED BY		TLE		UAIB	
4 5	*C I-	مم محملات ساد	Rayana Sida		

STATE OF UTAH

WELL NO.	WELL LOCATION	API NO.	STATUS
E14-12 E14-13	SW NW Sec.14-T41S-R24E NW SW Sec.14-T41S-R24E	43-037-15998 43-037-15999	Act. SI
10-44	SE SE Sec. 10-T41S-R24E	43-037-30451	Act.
15-12	SW NW Sec. 15-T41S-R24E	43-037-15715	Act.
15-14	SW SW Sec.15-T41S-R24E	43-037-15716	SI
15-22	SE NW Sec.15-T41S-R24E	43-037-30449	Act.
15-32	SW NE Sec.15-T41S-R24E	43-037-15717	Act.
15-33	NW SE Sec.15-T41S-R24E	43-037-15718	SI
15-41	NE NE Sec. 15-T41S-R24E	43-037-15719	Act. SI
15-42	SE NE Sec.15-T41S-R24E	43-037-3-448 43-037-15720	Act.
16-12	SW NW Sec. 16-T41S-R24E	43-037-15720	Act.
16-14	SW SW Sec. 16-T41S-R24E	43-037-15723	Act.
16-32	SW NE Sec.16-T41S-R24E SW SE Sec.16-T41S-R24E	43-037-15724	SI.
16-34	NE NE Sec. 16-T415-R24E	43-037-15725	Act.
16-41	SW NW Sec.17-T415-R24E	43-037-15726	Act.
17-12 17-14	SW SW Sec.17-T415-R24E	43-037-15727	Act.
17-14	NE SW Sec. 17-T41S-R24E	43-037-15728	Act.
17-23	SW NE Sec. 17-T41S-R24E	43-037-15729	Act.
17-34	SW SE Sec. 17-T41S-R24E	43-037-15730	Act.
17-41	NE NE Sec.17-T41S-R24E	43-037-15731	Act.
17-44	SE SE Sec.17-T41S-R24E	43-037-15732	Act.
18-11	NW NW Sec.18-T41S-R24E	43-037-15733	SI
18-13	NW SW Sec.18-T41S-R24E	43-037-15734	Act.
18-14	SW SW Sec.18-T41S-R24E	43-037-15735	Act. Act.
18-23	NE SW Sec.18-T41S-R24E	43-037-30244	Act.
18-32	SW NE Sec. 18-T41S-R24E	43-037-15736 43-037-15737	Act.
18-34	SW SE Sec. 18-T41S-R24E	43-037-15739	Act.
19-12	SW NW Sec. 19-T41S-R24E	43-037-15740	SI
19-14	SW SW Sec.19-T41S-R24E SW NE Sec.19-T41S-R24E	43-037-15743	Act.
19-32	SW SE Sec. 19-T415-R24E	43-037-15744	Act.
19-34 20-12	SW NW Sec. 20-T415-R24E	43-037-15746	Act.
20-12	SW SW Sec. 20-T41S-R24E	43-037-15747	Act.
20-14	SW NE Sec. 20-T41S-R24E	43-037-15749	Act.
20-32	SW SE Sec.20-T41S-R24E	43-037-15750	Act.
21-12	SW NW Sec.21-T41S-R24E	43-037-15752	Act.
21-14	SW SW Sec.21-T41S-R24E	43-037-15753	Act.
21-23	NE SW Sec.21-T41S-R24E	43-037-13754	Act.
21-32	SW NE Sec.21-T41S-R24E	43-037-15755	Act. SI
21-33	NW SE Sec.21-T41S-R24E	43-037-30447	Act.
21-34	SW SE Sec. 21-T41S-R24E	43-037 - 15756 43-037-15757	SI
22-12	SW NW Sec.22-T41S-R24E	43-037-15758	ŞĪ
22-14	SW SW Sec. 22-T41S-R24E	43-037-15756	Act.
- 24-42	SE NE Sec.24-T41S-R24E NW NW Sec.28-T41S-R24E	43-037-30446	Act.
28-11-	SW NW Sec.28-T415-R24E	43-037-15336	Act.
28-12	SW NW Sec.29-T415-R24E	43-037-15337	Act.
29 - 12 - 29 - 32	SW NE Sec. 29-T415-R24E	43-037-15339	Act.
·	ON THE OCCUPATION OF THE PERSON OF THE PERSO		

Mobil Oil Corporation

(32933)

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

Page 1 of 10

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

ACCOUNT NUMBER:

NO772

P J KONKEL
PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON NM 87401

AUG 1 6 1993

REPORT PERIOD (MONTH/YEAR)

6 / 93

DIVISION OF

OIL, GAS & MININGMENDED REPORT [(Highlight Changes)

Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 41S 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 415 24E 3	DSCR	POW	30	111	94	2905
#3-14 4303715124 06280 415 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 415 24E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 415 24E 9	DSCR	POW	30	201	315	423
#28-12 4303715336 06280 415 24E 28	PRDX	POW	29	112	47	2428
#29-12 4303715337 06280 415 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 41S 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 41S 24E 29	DSCR	Pow	29	757	48	0
#30-32 4303715342 06280 41S 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620 06280 41S 24E 3	DSCR	POW	30	268	1/	363
#9-34 4303715711 06280 415 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 41S 24E 10	DSCR	POW	30	45	23	1088
			TOTALS	5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the

Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box

633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: <u>8/11/93</u>

Name and Signature: PAT KONKEL

Pat Konkel

Telephone Number: 505 599-3452

FORM 11		STATE OF U'		Page l of l
	MONTH	Y OIL AND GAS I	DISPOSITION REPORT	
	oper tor name and address		UTAH ACCOUNT NUMBER:	N7370
	BR+AN -BERRY	RENTWR F.O. DrAWER G	REPORT PERIOD (MONTH/YE	AR): 7 / 93

* 93100le updated. fie ENDING BEGINNING VOLUME DISPOSITIONS GRAVITY PRODUCT **ENTITY** FLARED/VENTED INVENTORY OTHER INVENTORY PRODUCED TRANSPORTED USED ON SITE NUMBER BTU 177609 177609 OIL 0 05980 GAS 5885 66216 OIL 11174 GAS OIL GAS OIL GAS OIL GAS DIVISION OF OIL GAS OIL 249710 243825 5885 **TOTALS**

COMMENTS: PETASE NOTE ADDRESS CHANGE. 104	Sin ASO PRODUCTION REPORTS
Will be COMPILED AND JENT from T	the Cortez, Co. Office
IN THE FUTURE. I hereby certify that this report is true and complete to the best of my knowledge.	Date: 9/5/93
Thereby certify that this report is the and complete to the cost of my knowledge.	2n3 KK527

Name and Signature: Invell & Shiffield

Telephone Number 244 658 2578

AMENDED REPORT [(Highlight Changes)

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

			S. LEASE DESIGNAT	104 / 657111
			L CENSE BESIGNAT	ION & SERIAL P
SUNDRY NO	OTICES AND REPORTS	ON WELLS	6. IF INDIAN. ALLOT	TTEE OR TRIBE
	oposals to drill or to deepen or plug PLICATION FOR PERMIT—" for s		NAVAJO TRIB	AL
OIL GAS		and the same of th	7. UNIT AGREEMEN	TNAME
WELL WELL OTHER		4/4/14/14/14/14/14/14/14/14/14/14/14/14/	RATHERFORD I	
MOBIL OIL CORPO	RATTON -			
ADDRESS OF OPERATOR P. O. BOX 633	MIDLAND, TX 79702	SEP 1 5 1993	WELL NO.	
LOCATION OF WELL (Report location of	tlearly and in accordance with any State r	011 1 0 1770	10. FIELD AND POOL	L. OR WILDCAT
See also space 17 below.) At surface		DIVISION OF	GREATER AI	
At proposed prod. zone		OIL, GAS & MINING	11. SEC., T. R., M., O SURVEY OF	
		,		
API NO.	15. ELEVATIONS (Show wnether	DF, RT, GR, etc.)	SAN JUAN	13. STATE
				UTAH
Chec		Nature of Notice, Report or Ot		
			OUENT REPORT OF:	
FRACTURE TREAT	MULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT	 	NG WELL
SHOOT OR ACIDIZE	ABANDON	SHOOTING OR ACIDIZING	 i	NMENT*
REPAIR WELL	CHANGE PLANS	(Other) CHANGE OF		
(Other)			of multiple completio mpletion Report and I	
APPROX. DATE WORK WILL STA	RT	DATE OF COMPLETION _		
starting any proposed work, If we		state all pertinent details, and give purface locations and measured and tr		
starting any proposed work. If we pertinent to this work.)	ell is directionally drilled, give subst	urface locations and measured and tr	ue vertical depths for a	werification r
AS OF JULY1, 1993, ATTACHED ARE THE I	MOBIL OII, CORPORATI	urface locations and measured and tr	panied by a cement THE RATHERFO	werification r
AS OF JULY1, 1993, ATTACHED ARE THE I	MOBIL OII, CORPORATI	* Must be accom ON IS THE OPERATOR OF	panied by a cement THE RATHERFO	werification r

Sept 29, 1993

To: Lisha Cordova-Utal Mining Die & Gas

FROM: Janice Easley BLM Farmington, NM 505 599-6355

Here is copy of Ratherford Unit Successor Operator.

4 pages including this one.

Like ratherford Unit (GC)

TOEIVED BLM

ALL SUPY.

Navajo Area Office P. O. Box 1060 Gallup, New Mexico 87305-1060

ARES/543

לצטו היי וניון

Mr. G. D. Cox Mobil Exploration and Producing North America, Inc. P. O. Box 633 Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

A Signamore

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.
TNN, Director, Minerals Department w/enc.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS



DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702

Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessess in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number <u>05202782</u> (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

Phillips Petroleum Company

June 17, 1993

Attorney-in-Fac

Mobil Exploration and Producing

North America Inc.

June // , 1993

y: 15 Marting

Attorney-in-Pact B.D. MARTIN

Approvency

ACTING AREA DIRECTOR

DATE

APPROVED BY TITLE

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3. This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992) SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

Tract Number	Description of Land	Serial Number and Effective Date of Lease	Tract Percentage Participation
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 March J, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	. 4667669
6	NW/4 of Sec. 9, T-41-5, R-24-E, S.L.H., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-5, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 5W/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-5, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-5, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26,1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-650S July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	. 4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

[]		Suspense Return Date) To - Initials)		Other OPERATOR CHANGE
1.	1. Date of Phone Call: 10-6-93	Time:	9:30	
2.	2. DOGM Employee (name) L. CORDON Talked to: Name GLEN COX (Init of (Company/Organization) MOBIL			
3.	3. Topic of Conversation: OPERATOR CHANCE (NEED TO CONFIRM HOW OPERATOR WANTS TO OR MOBIL OIL CORPORATION AS PER SUNDRY	HE WELLS SET UP	- MEPNA AS PI	ER BIA APPROVAL
4.	MR. COX CONFIRMED THAT THE WELLS SHOULD PER BIA APPROVAL, ALSO CONFIRMED THAT BE HANDLED OUT OF THEIR CORTEZ OFFICE	PRODUCTION & DI RATHER THAN DAL RENTLY OPERATORE	ACCOUNT N7376 SPOSITION RE	O/MEPNA AS PORTS WILL NOW

	OR CHANGE H					ſ	Routing:
			the division regar ed. Write N/A if	ding this change. item is not applica	able.		2-DF37 S8-KINA 3-VLC 4-RJK
ıxı Char □ Desi	ge of Opera gnation of (tor (well so Operator	ld) 🗆	Designation of Operator Name	Agent Change Only		5-III-JC 6-PV
The op	erator of th	ne well(s) 1	isted below has	changed (EFFEC	CTIVE DATE: _	7-1-93)
TO (ne	w operator) (address)	PO DRAWER G CORTEZ, CO GLEN COX (9	81321 15)688-2114) 565-2212 N 7370	- - -	(address) <u>5</u> <u>F</u> <u>P</u> p	HILLIPS PETI 525 HWY 64 I ARMINGTON, I AT KONKEL Thone (505) ACCOUNT NO.	MM 87401 599-3452
Hell(s) (attach addi	tional page if	needed): *R	ATHERFORD UNIT	(OLAVAN)		
Name: Name: Name: Name: Name:			API: API: API: API:	Entity: Entity: Entity: Entity: Entity: Entity: Entity: Entity:	SecTwp_ _ SecTwp_ _ SecTwp_ _ SecTwp_ _ SecTwp_	Rng Le Rng Le Rng Le Rng Le Rng Le	ase Type: ase Type: ase Type: ase Type: ase Type: ase Type:
OPERAT	OR CHANGE D	OCUMENTATION					1
	operator (Attach to th	is form) (for a	legal documenta -20-93)(6/93 fied.f	1 8-11-92)		
<u>fee</u> 2.	(Rule R615 (Attach to	-8-10) Sundr this form).	y or other <u>leg</u> (hy. 8-3143)(he/d	al documentatio	n has been r	eceived fro	m <u>new</u> operator
	operating yes, show	any wells i	erce has been n Utah. Is co number:	contacted if th mpany registere 	e new operated with the	or above is state? (yes	not currently /no) If
Lec 4.	(attach Te	elephone Doc ection of t ould take nl	umentation For his form. Mar	The BLM has rm to this rep agement review ompletion of ste	oort). Make of Federal ens 5 through	note of and Indian 9 helow	BLM status in well operator
ĵ	listed abo	ve. (026 well	5 10-6-93/ (WIW				
				n well listed al			
				or each well lis			
^	for distri	bution to St	ate Lands and	onthly "Operato the Tax Commiss	ion.(10-6-437		
Jec 9.	A folder h	as been set re for refer	up for the Ope ence during ro	erator Change f uting and proces	ile, and a c ssing of the	opy of this original do	page has been ocuments.

PERATUR CHANGE WORKSHEET (CONTINUED) THISTAT PACT FEET WHEN COMPACED.	
NTITY REVIEW	
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes/no) (If entity assignments were changed, attach copies Form 6, Entity Action Form).	ere of
N/2. State Lands and the Tax Commission have been notified through normal procedures entity changes.	of
OND VERIFICATION (Fee wells only)	
$\frac{1}{\sqrt{N/A}}$ 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.	a t
2. A copy of this form has been placed in the new and former operators' bond files.	
3. The former operator has requested a release of liability from their bond (yes/no) _ Today's date 19 If yes, division response was made by let dated 19	ter
LEASE INTEREST OHNER NOTIFICATION RESPONSIBILITY	
(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated	een any such
2. Copies of documents have been sent to State Lands for changes involving State leases.	
FILMING	
1. All attachments to this form have been microfilmed. Date: 11. 19_9	<u>'</u> 3.
FILING	
1. Copies of all attachments to this form have been filed in each well file.	
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Opera Change file.	a tor
COMMENTS	
931006 BIA/B/m Approved 7-9-93.	

E71/34-35

						1
			14-20-603-353	SEC. 19, T41S, R24E	NE/NW 660' FNL 1860' FWL SE/NW 1840' FNL; 1980' FWL	
	19-22 19W-23		14-20-603-353 14-20-603-353	SEC. 19, T41S, R24E SEC. 19, T41S, R24E	NE/SW 2080' FSL; 1860' FWL	
	19W-23 19-31		14-20-603-353	SEC. 19, T415, R24E	NW/NE 510' FNL; 1980' FEL	
- 4	19-32	43-037-15743	14-20-603-353	SEC. 19, T41S, R24E	SW/NE 1980' FNL; 1980' FEL	
- 1	19-33		14-20-603-353	SEC. 19, T41S, R24E	NW/SE 1980' FSL; 1980' FEL	
	19-34	43-037-15744	14-20-603-353	SEC. 19, T41S, R24E	SW/SE 660' FSL; 1980' FEL	
		43-037-15745	14-20-603-353	SEC. 19, T41S, R24E	NE/NE 660' FNL; 660' FEL	
٠,	19-42		14-20-603-353	SEC. 19, T41S, R24E	SE/NE 1880' FNL, 660' FEL	1
			14-20-603-353	SEC. 19, T41S, R24E	NE/SE 1980' FSL; 760' FEL SE/SE 660' FSL; 660' FEL	1
	19-44 19-97	43-037-31081 43-037-31596	14-20-603-353 14-20-603-353	SEC. 19, T41S, R24E SEC. 19, T41S, R24E	2562' FNL, 30' FEL	
- ۳	2 0-11	43-037-31049	14-20-603-353		NW/NW 500' FNL; 660' FWL	
٧.	20-12		14-20-603-353	SEC. 20, T41S, R24E	1980' FNL, 660' FWL	
	20-13	43-037-30917	14-20-603-353	SEC. 20, T41S, R24E	NW/SW 2140' FSL, 500' FWL	
	20-14	43-037-15747	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 660' FWL	
		43-037-16423	14-20-603-353	SEC. 20, T41S, R24E	660' FNL; 1880' FWL	1
	20-22	43-037-30930	14-20-603-353	SEC. 20, T41S, R24E	SE/NW 2020' FNL; 2090' FWL	1
-	20W-23 1 20-24	43-037-15748 43-037-30918	14-20-603-353 14-20-603-353	SEC. 20, T41S, R24E SEC. 20, T41S, R24E	NW/SW 2080; 2120' FWL SE/SW 820' FSL; 1820' FWL	1
	20-24	43-037-30918	14-20-603-353	SEC. 20, T415, R24E	NW/NE 660' FNL; 1880' FEL	
	20-31	43-037-15749	14-20-603-353	SEC. 20, T41S, R24E	SW/NE 1980' FNL, 1980' FEL	1
,	20-33	43-037-30931	14-20-603-353	SEC. 20, T41S, R24E	NW/SE 1910' FSL; 2140' FEL	
	20-34	43-037-15750	14-20-603-353	SEC. 20, T41S, R24E	660' FSL; 1850' FEL	20
	20W-41	43-037-15751	14-20-603-353	SEC. 20, T41S, R24E		PA
	20-42	43-037-31051	14-20-603-353	SEC. 20, T41S, R24E	SE/NE 1980 ' FNL; 660' FEL 2070' FSL; 810' FEL	1
		43-037-16424 43-037-30915	14-20-603-353 14-20-603-353	SEC. 20, T41S, R24E SEC. 20, T41S, R24E	SE/SE 620' FSL; 760' FEL	1
	20-44 20-66	43-037-30915	14-20-603-353	SEC. 20, T415, R24E	SW/NW 1221' FWL; 1369' FNL	1
	21-11	43-037-31052	14-20-603-355	SEC. 21, T41S, R24E	NW/NW 660' FNL; 660 FWL	1
	21-12	43-037-15752	14-20-603-355	SEC. 21, T41S, R24E	2080' FNL; 660' FWL	
V	21-13	43-037-30921	14-20-603-355	SEC. 21, T41S, R24E	NW/SW 2030' FSL; 515' FWL	-
U	21-14	43-037-15753	14-20-603-355	SEC. 21, T41S, R24E	SW/SW 660' FSL; 460' FWL	-
		43-037-16425	14-20-603-355	SEC. 21, T41S, R24E	NE/NW 660' FNL; 2030' FWL	1
·	21-32 ************************************	43-037-15755 NA	14-20-603-355 14-20-603-355	SEC. 21, T41S, R24E SEC. 21, T41S, R24E	SW/NE 1880' FNL; 1980' FEL 2000 FSL; 1860' FEL	4
×	21-34		14-20-603-355	SEC. 21, T413, R24E	SW/SE 660' FSL; 1980' FEL	1.
L	21W-41	43-037-16426	14-20-603-355	SEC. 21, T41S, R24E	660' FNL; 810' FEL	- PA
	-		14-20-603-355	SEC. 21, T41S, R24E		PA
	24-11	43-037-15861	14-20-603-247A	SEC. 24, T41S, R24E	510' FNL; 810' FWL 4695' FSL; 3300' FEL	PA
		43-037-16429 43-037-16430	14-20-603-247 14-20-603-247	SEC. 24, T41S, R24E SEC. 24, T41S, R24E	2080' FSL; 660' FEL	1/"
		43-037-15862	14-20-603-247A	SEC. 24, T415, R24E	NW/NE 560' FNL; 1830' FEL	1
	24-32	43-037-31593	14-20-603-247A	SEC. 24, T41S, R24E	SW/NE 2121' FNL; 1846' FEL]
	24-41	43-037-31132	14-20-603-247A	SEC. 24, T41S, R24E	NE/NE 660' FNL; 710' FEL	1
		43-037-15863	14-20-603-247A	SEC. 24, T41S, R24E	660' FSL; 1980' FNL	-
V	28-11	43-037-3044 6	14-20-603-409	SEC. 28, T41S, R24E	NW/NW 520' FNL; 620' FWL	1
L	28-12	43-037-15336	14-20-603-409B	SEC. 28, T41S, R24E SEC. 29, T41S, R24E	SW/SE/NW 2121' FNL; 623' FWL NW/NW 770' FNL; 585' FWL	1
	29-11 29W-21	43-037-31053 43-037-16432	14-20-603-407 14-20-603-407	SEC. 29, T415, R24E	NE/NW 667' FNL; 2122' FWL	1
	29-22	43-037-10452	14-20-603-407	SEC. 29, T41S, R24E	SE/NW 2130' FNL; 1370' FWL	1
	29W-23	43-037-15338	14-20-603-407	SEC. 29, T41S, R24E	NE/SW 1846' FSL; 1832' FWL]
ī	29-31	43-037-30914	14-20-603-407	SEC. 29, T41S, R24E	NW/NE 700' FNL; 2140' FEL	4
	29-32	43-037-15339	14-20-603-407	SEC. 29, T41S, R24E	1951' FNL; 1755' FEL	-
	29-33	43-037-30932	14-20-603-407	SEC. 29, T41S, R24E	NW/SE 1860' FSL; 1820' FEL 817 FSL; 2096' FEL	┨
	29-34 29W-41	43-037-15340 43-037-16433	14-20-603-407 14-20-603-407	SEC. 29, T41S, R24E SEC. 29, T41S, R24E	557' FNL; 591' FEL	1
	29W-41	43-037-10433	14-20-603-407	SEC. 29, T415, R24E	SE/NE 1850' FNL; 660' FEL	1
	29W-43	43-037-16434	14-20-603-407	SEC. 29, T41S, R24E	NE/SE 1980' FSL; 660' FEL	
	30-21W	43-037-16435	14-20-603-407	SEC. 30, T41S, R24E	660' FNL; 1920' FWL	
	30-32	43-037-15342	14-20-603-407	SEC. 30, T41S, R24E	SW/NE 1975' FNL; 2010' FEL	-
	30W-41	43-037-15343	14-20-603-407	SEC. 30, T41S, R24E	NE/NE 660' FNL; 660' FEL	1
	9-34	NA 43037 157/1		NA Sec. 1 T. 415 F. 24E	NA SWSE 660 FSL 1980 FEL 2100' FSL;660 FEL	1
	12-43 12W31	43-307-31202 43-037-15847	14-20-603-246 14-20-603-246	SEC. 12. T41S. R23E SEC. 12, T41S, R23E		1
	13W24	43-037-15847	14-20-603-247	SEC. 12, 1413, R23E	· · · · · · · · · · · · · · · · · · ·	1
	15W23		14-20-603-247	SEC. 15, T41S, R24E	2140' FSL;1820' FWL	1
	17-24	43-037-31044	14-20-603-353	SEC. 17, T41S, R24E	SE/SW 720' FSL; 1980' FWL	4
ί	18-13	43-037-15734	14-20-603-353	SEC. 18, T41S, R24E	NW/NW 1980' FSL;500' FWL	-
	18W32	43-037-15736	14-20-603-353	SEC. 18, T41S, R24E	SW/NE2140'FNL;1830' FEL	-
	20-68	43-037-31591	14-20-603-353	SEC. 20, 1415, R24E	NW/SW 1276' FWL;1615' FSL NE/SW 1740 FSL 1740 FWL	-
	21-23	43-037-13754 43-037-16431	14-20-603-355 14-20-603-409	SEC. 21, 1415, R24E SEC.29, T41S, R24E	660' FNL; 2022' FWL	1
1	28W21	143-037#-10431	14-20-003-403	JEC.20, 1410, 1124L	1000 1110, 2022 1112	

PAL

-PAId -PAId -PAId

FORM 10 STATE OF UTAH

DIVISION OF OIL, GAS AND MINING 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 15 of 22

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTAŁ	H ACCOUNT NUMBER	N7370		
C/O MOBIL OIL CORP M E P N A PO DRAWER G CORTEZ CO 81321			REPORT PERIOD (MONTH/YEAR): 6 / 95 AMENDED REPORT (Highlight Changes)				
				•			
Well Name	Producing	Well	Days		Production Volumes		
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)	
#18-13 4303715734 06280 41S 24E 18	PRDX						
#19-12 4303715739 06280 41S 24E 19	PRDX				; e		
#19-14 4303715740 06280 41S 24E 19	DSCR						
RATHERFORD UNIT 19-32 (RE-ENTRY)							
4303715743 06280 41S 24E 19	DSCR			,			
RATHERFORD UNIT 19-34 (RE-ENTRY)			· ·				
4303715744 06280 41S 24E 19	. DSCR						
RATHERFORD 20-12 (RE-ENTRY)							
4303715746 06280 41S 24E 20	DSCR						
THERFORD UNIT 20-14 (RE-ENTR	7)						
06280 41S 24E 20رہ	DSCR						
RATHERFORD UNIT 20-32 (RE-ENTRY)							
4303715749 06280 41S 24E 20	DSCR						
RATHERFORD 20-34 (RE-ENTRY)					-		
4303715750 06280 41S 24E 20	DSCR						
#21-12							
4303715752 06280 41S 24E 21	DSCR						
RATHERFORD UNIT 21-14 (RE-ENTR	7)						
4303715753 06280 41S 24E 21	DSCR						
#21-32							
4303715755 06280 41S 24E 21	DSCR		į				
#21-34							
4303715756 06280 41S 24E 21	DSCR						
			TOTALS				
)MMENTS:							
				***************************************	•		
ic by certify that this report is true and complete to	the best of my	y knowledge		Da	nte:		
me and Signature:				1	Telephone Number:		

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rou []	Well FileRng(API No.)	(Return Date) (To - Initials)	XXXX Other OPER NM CHG
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name) L. C. Talked to: Name R. J. FIRTH of (Company/Organization)	(Initiated Call XX) - Ph	none No. ()
3.		N A / N7370	
4.	Highlights of Conversation: OPERATOR NAME IS BEING CHANGED NORTH AMERICA INC) TO MOBIL EXP THIS TIME TO ALLEVIATE CONFUSIO *SUPERIOR OIL COMPANY MERGED IN	FROM M E P N A (MOBIL EXPLOR & PROD. THE NAME CENT, BOTH IN HOUSE AND AMO	APLORATION AND PRODUCING HANGE IS BEING DONE AT ONGST THE GENERAL PUBLIC.

	n of Oil, Gas and Mining FOR CHANGE HORKSHEET				Routing
	all documentation received by the division rega each listed item when completed. Write N/A if				2-LWP 8-SJ V 3-PT3 9-FILE 4-VLC
	nge of Operator (well sold) ignation of Operator XX	∃ Designation o x Operator Name	of Agent : Change Only		5-RJF 6-LWP
The or	erator of the well(s) listed below ha	s changed (EFF	ECTIVE DATE:	8-2-95)
TO (ne	w operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370	FROM (form	er operator) (address)	C/O MOBIL PO DRAWER CORTEZ CO	G 81321 3)564-5212
Hell(s) (attach additional page if needed):				
Name: Name: Name: Name: Name:	** SEE ATTACHED ** API:	Entity: Entity: Entity: Entity: Entity: Entity:	SecTwp SecTwp SecTwp SecTwp SecTwp	0Rng 0Rng 0Rng 0Rng	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
N/A 1.	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or other operator (Attach to this form). (Rule R615-8-10) Sundry or other <u>leg</u> (Attach to this form).				
	The Department of Commerce has been operating any wells in Utah. Is co yes, show company file number:	mpany register 	ed with the	state? (ye	es/no) If
	(For Indian and Federal Hells ONLY) (attach Telephone Documentation For comments section of this form. Man changes should take place prior to co	agement review	of Federal	and India	n well operator
	Changes should take place prior to conclude the changes have been entered in the Oil listed above. $(8-3-95)$				1) for each well
\mathbb{W}_{6} .	Cardex file has been updated for each	n well listed a	bove. 8-31.90	·/~	
JP 7.	Well file labels have been updated fo	or each well li	sted above.	9-18-95	
Λ	Changes have been included on the mo for distribution to State Lands and t	the Tax Commiss	ion. (8395)		
LC9.	A folder has been set up for the Ope placed there for reference during rou	erator Change f uting and proce	ile, and a c ssing of the	copy of thi original o	s page has been documents.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
Lec 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	ERIFICATION (Fee wells only) & No Fee Leese Wells at this time!
N/A/ 1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	NTEREST OWNER NOTIFICATION RESPONSIBILITY
シナン	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
_1/1.	All attachments to this form have been microfilmed. Date: <u>Cochaba 6</u> 19 <u>95</u> .
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT 9508/	13 UIC F5/Not necessary!

WE71/34-35

Form 3160-5 (August 1999)

UllieD STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED

	OMB No. 1004-0135
	Expires November 30, 200
5.	Lease Serial No.

SUNDRY N	OTICES AND REPORTS ON WELLS
Do not use this	form for proposals to drill or to re-enter an
Abandoned well.	Use Form 3160-3 (APD) for such proposals.

Do not use this form for proposals to drill or to re-enter an					listing llottee or Tribe Name RIBAL
SUBMIT IN TRIPLICATE - Other instructions on reverse side				7. If Unit or C. Ratherford U	A/Agreement, Name and/or No. Jnit
1. Type of Well Gas Well	☐ Other			8. Well Name See attached	
2. Name of Operator				9. API Well N	
Mobil Producing TX & NI *Mobil Exploration & Prod		МРТМ		See attached	listing
3a. Address P.O. Box 4358, Houston, T	X 77210-4358	3b. Phone No. (713-431-1022	include area code)	10. Field and P Greater Anet	ool, or Exploratory Area th
4. Location of Well (Footage, Se	c., T.,R.,M., or Survey Description)		11. County or I	Parish, State
See attached listing		13-1/37	5751/2	San Juan, U	
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATU	JRE OF NOTICE, I	REPORT, OR	OTHER DATA
TYPE OF SUBMISSION			YPE OF ACTION	ortz, ort	OTTES CONTRACTOR
	Acidize	Deepen	Production (Sta	rt/Resume)	☐ Water Shut-Off
○ Notice of Intent	Alter Casing	Fracture Treat	☐ Reclamation	,	☐ Well Integrity
Subsequent Report		New Construction	☐ Recomplete		_
		_	<u> </u>		Other Power & Pipelines
Final Abandonment Notice	<u> </u>	Plug and Abandon	☐ Temporarily Al		
13. Describe Proposed or Complete		Plug Back	☐ Water Disposal		
*Mobil Exploration & Producing North Ameriwill install raptor proof 1.45 miles. Pipe diamet will be ~3,200 psi. Test Mobil's own system. A	producing US Inc. as agent as leaves and that the site is ready for the producing US Inc. as agent as Inc. plans to bury >36" described by 25 kv powerlines in same are will range from 2" to 8" at pressure will be ~4,250 pell will discharge back into 1 monitor construction at TCP Pipe Specifications 0.438" W.T., API 5LX-6 0.375" W.T., API 5LX-6 0.337" W.T., API 5LX-4 0.300" W.T., API 5LX-4 0.218" W.T., API 5LX-4	rations. If the operation adonment Notices shall for final inspection) It for Mobil Production to for Mobil Production and the experiment of the experiment	n results in a multiple co be filed only after all re acing Texas & New n & carbon dioxide erford 15-42) wide ted, seamless welde ource will be water ribal approved arch	Mexico Inc. injection pipe pipeline corriced steel. Max and carbon d aeologist will Trust surface	& Mobil Exploration & elines in same trench. dor. Total length will be imum operating pressure lioxide respectively from a supervise installation of
Name (Printed/Typed)	ing is true wind confect				
Mark Del Pico		Title	EHS Advisor		
Signature W.D.	IP.		5-8-2000		
Signature 00000		Date		***************************************	
	THIS SPACE FO	R FEDERAL OR	STATE OFFICE US	E	
Approved By		Title			Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				Utah I	ted by the Division of
Title 18 U.S.C. Section 1001 and Ti United States any false, fictitious or I	tle 43 U.S.C. Section 1212, make raudulent statements or representa	it a crime for any per tions as to any matter	rson knowingly and wil within its jurisdiction.	in Oh, mass	COFED COME
COPY SENT TO Q		dorot Amanana a		FOH KE	TOURS OF

COPY SENT TO OPERATOR

WELL #	API NUMBER	FEDERAL	
		LEASE	LOCATION
13-42	43-037-25857	14-20-603-247A	2139' FSL & 585' FEL Sec 13-T41S-R23E
15-23			2-2-1
15-41			666
15-42			2000
18-12			10004 THE DEC 13-1413-R23E
21-34			1980' FNL & 560' FWL Sec 18-T41S-R23E
 			
	15-23 15-41 15-42 18-12	13-42 43-037-25857 15-23 43-037-31768 15-41 43-037-15719 15-42 43-037-30448 18-12 43-037-31768	WELL # API NUMBER STATE LEASE 13-42

DIVISION OF OIL, GAS AND MINING

ExxonMobil Production Comp

U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte H. Warper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

CE - REMARKS



United States Department of the Interior

NAVATOR ECTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

RRES/543

AUG 3 0 2001

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNIT DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

ADM 48 /M
NATV AS MEN COORD
SOLID ACM TEAM
PETRO PORT TEAM 2
TELAUS STEELING
O&GINOHERT YEAM
ALL TEAM LEADERS
LAND RESOURCES
ENVIRONMENT
FILES

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

1 1/2/201 SW 543

ExonMobil
Production



Change of Name –
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE
BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issu

Charlotte U. Harper

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

Ge						
1 - 0	OT.	0	m	^	n	
чo	3 I L	C	111	ᄆ	11	

The current list Corporation), o	ting of officers and director of	ExxonMobil Oil Corporation (State) is as follows:	Name of
President Vice President Secretary Treasure	F.A. Risch K.T. Koonce F.L. Reid B.A. Maher	Address 5959 Las Colinas Blvd, Irving, 1	02 IX 75039
Name <u>P.A. Ha</u> Name <u>T.P. To</u> Name <u>B.A. Ma</u>	nson wnsend her sch	DIRECTORS Address 5959 Las Colinas Blvd. Irving, TX 7 Gerely, Accordance Correa	5039 5039 5039
and in t	he custody of _Corporation Servi	rtaining toExxonMobil_Oil_Corporation(Cols and accounts covering business for the State of	I familia

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. a. mileican
Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U.S. A. on this the 8th day of June, 2001.

Ganice M. Phillip.
Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 14-20-0603-6509 5)
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20)
- 14-20-603-5450
- 21) 14-20-603-5451

CHUBB GROUP OF INSURANCE COMPANIES

G. Weiler in the South, builden PON, Mouston, Texas, 77027-9501
 G. Weiler in Co. M27, 4600 r. February (713), 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97 wherein

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.


Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Qil Corporation

Bv:

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact



POWER **OF** ATTORNEY

Federal Insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this $10 \, \text{th}$ day of May, 2001.

Kenneth C. Wendel, Assistant Secretar

STATE OF NEW JERSEY County of Somerset

On this 10th day of May, 2001
to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendet being by me duly swom, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seats thereof, and the foregoing Bound of Attorney are such companies and sand sand started by aidhority of the By-Laws of said Companies; and that he that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he Vice President of said Companies; and companies and that he Vice President of said Companies; and that the signature of Frank E. Robertson, and knows him to be Robertson as thereto subscribed by authority of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. as thereto subscribed by authority of said to the said to the deponent's presence. 166 **eg**

Notary Public State of New Jersey

No. 2231647

Commission Expires Oct 28 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U.S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U.S. Virgin Islands, and Federal is licensed in American Samoa, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this $\underline{12th}$ day of June, 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

C\$C

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

OF

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The corporate name of said Company shall be, ExconiMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby smended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were nuthorized by the Board of Directors followed by the holder of all outstanding shares entitled to wore on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS

COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC CSC

. –

---;

5184334741

06/01 '01 09:01 NO 411 02/02 6/01 '00 00:00 NO 411 02/02 -**01**0601000187

C3C 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION (Name)

FILED JUN 0 1 2001


TAX S

5959 Las Colinas Blvd.

(Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)



010601000

,TEL=5184334741

06/01/01 08:19

≈> CSC

State of New York }
Department of State } ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW * 3. FILE

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has change	ged, effective:	06-01-2001				
FROM: (Old Operator):		TO: (New Op	perator):			
MOBIL EXPLORATION & PRODUCTION		EXXONMOBIL OIL CORPORATION				
Address: P O BOX DRAWER "G"		Address: USW	VEST P O E	3OX 4358		
CORTEZ, CO 81321		HOUSTON, T		58		
Phone: 1-(970)-564-5212		Phone: 1-(713)				
Account No. N7370		Account No.	N1855		•	
CA	No.	Unit:	RATHER	FORD		
WELL(S)						
	SEC TWN	API NO	ENTITY		WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
RATHERFORD UNIT 19-13			6280	INDIAN	OW	P
RATHERFORD UNIT 19-24 (MULTI-LEG)		43-037-31754		INDIAN	OW	P
RATHERFORD UNIT 20-44		43-037-30915		INDIAN	OW	P
20-13	20-41S-24E	43-037-30917	6280	INDIAN	OW	P
20-24	20-41S-24E	43-037-30918	6280	INDIAN	OW	P
20-22	20-41S-24E	43-037-30930	6280	INDIAN	OW	P
RATHERFORD UNIT 20-33	20-41S-24E	43-037-30931	6280	INDIAN	ow	S
RATHERFORD UNIT 20-11	20-41S-24E	43-037-31049	6280	INDIAN	OW	S
RATHERFORD UNIT 20-31	20-41S-24E	43-037-31050	6280	INDIAN	OW	P
RATHERFORD UNIT 20-42	20-41S-24E	43-037-31051	6280	INDIAN	OW	P
RATHERFORD 20-68	20-41S-24E	43-037-31591	6280	INDIAN	OW	P
RATHERFORD 20-66	20-41S-24E	43-037-31592	6280	INDIAN	OW	P
21-23		43-037-13754		INDIAN	OW	S
21-32		43-037-15755		INDIAN	OW	S
21-34		43-037-15756		INDIAN	OW	S
RATHERFORD UNIT 21-11		43-037-31052		INDIAN	OW	S
RATHERFORD UNIT 21-24		43-037-31720		INDIAN	OW	P
RATHERFORD UNIT 21-77		43-037-31758		INDIAN	OW	S
RATHERFORD UNIT 28-11		43-037-30446		INDIAN	OW	P
29-34	29-41S-24E	43-037-15340	6280	INDIAN	OW	P
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 06/29/2001						
3. The new company has been checked through the Dep	partment of Comm	erce, Division	of Corpora	tions Datab	oase on:	04/09/200
4. Is the new operator registered in the State of Utah:	YES	Business Num	ber:	579865-014	<u>13</u>	

N/A

6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001
8.	Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
D	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 04/15/2002
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 04/15/2002
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
S 7	State well(s) covered by Bond Number: N/A
FI	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number: N/A
IN 1.	IDIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number: 80273197
FI	EE WELL(S) BOND VERIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number N/A
2.	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
	EASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
C	DMMENTS:
_	
_	

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135 Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an				14-20-603-355		
Do not use this abandoned well	s form for proposals to i. Use form 3160-3 (APL	orm or to re-e)) for such pr	oposals.		n, Aliottee d JO TRIBA	or Tribe Name AL
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit	or CA/Agre	ement, Name and/or No.
Type of Well Oil Well □ Gas Well □ Oth	ег	4			ime and No. ERFORD L	
Name of Operator EXXONMOBIL OIL CORPOR	Contact:	CATHY W HIC E-Mail: Cathy_V	GINBOTHAM /_Higginbotham	9. API W n@exxonmobil.com43-03		
3a. Address P.O. BOX 4358 HOUSTON, TX 77210		3b. Phone No. 6 Ph: 281.654	include area code .1934		and Pool, or ATER ANE	Exploratory ETH
4. Location of Well (Footage, Sec., T)			ty or Parish, JUAN CO	and State UNTY, UT
SubE	T 415 R	34E 5	21			
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE	NATURE OF	NOTICE, REPORT, O	OR OTHE	R DATA
TYPE OF SUBMISSION			TYPE	OF ACTION		
= Nation of Insura	☐ Acidize	☐ Deep	en	☐ Production (Start/	Resume)	■ Water Shut-Off
Notice of Intent	☐ Alter Casing	☐ Fract	ure Treat	□ Reclamation		■ Well Integrity
☐ Subsequent Report	☐ Casing Repair	☐ New	Construction	□ Recomplete		Other
☐ Final Abandonment Notice	Change Plans	🛛 Plug	and Abandon	☐ Temporarily Abar	idon	
	☐ Convert to Injection	Plug	Back	■ Water Disposal		
1. Lock out and Tag out pum may be present. Unhang well lay down rods and pump. Se 2. Release TAC. Pump KWI guidelines. POOH and lay do workstring. 3. PU and RIH with 5 1/2" Casing to 1,000psi. Bleed off	ping unit. MIRU WSU. Bl and NU rod stripper. Uns nd pump for repair or disp Fif necessary. ND tree a wn production tubing. MI ICR and workstring to 5,3	eat pump and posal. and NU BOP. and rack 2-7/6	POOH and Test per EM		ni jo ope	PATOR
4. MIRU BJ Services cemen	ting equipment. NU and t	est all hard lin	es to 3,500		13. XI	2-23
14. I hereby certify that the foregoing	is true and correct. Electronic Submission For EXXONMOBI	#26216 verified L OIL CORPOR	by the BLM W ATION, sent to	ell Information System o the Farmington		
Name (Printed/Typed) CATHY	V HIGGINBOTHAM		Title AUTH	ORIZED REPRESEN	TATIVE	
Signature (Electronic	Submission)		Date 12/17	/2003		
	THIS SPACE F	OR FEDERA	L OR STAT	EOFEW Byarne		
			1 140	h Division OT		Learning Of This
Approved By Conditions of approval, if any, are attack certify that the applicant holds legal or e	quitable title to those rights in the	es not warrant or	- "Oil, (2123/03	Date	action is Necessary
which would entitle the applicant to con- Title 18 U.S.C. Section 1001 and Title 4 States any false, fictitious or fraudulen	luct operations thereon.		Datesce	and willfully b-make ar any	Trom (or agency of the United
States any false, fictitious or fraudulen	t statements or representations a	is to any matter w	INNERS THERETOR	ajur -		DECHNALL

Additional data for EC transaction #26216 that would not fit on the form

32. Additional remarks, continued

psi. Squeeze Desert Creek perforations from 5,426'-5,464'. Leave 5-1/2" casing below CICR full of cement. Latch out of CICR and spot balanced cement plug from 5,276'-5,376' PUH above cement and reverse circulate workstring clean.

- 5. RBIH to top of cement. Circulate wellbore with 10.0 ppg mud. PUH to 4,500'. Lay down excess tubing. Spot a balanced cement plug from 4,500' to 4,300' (Hermosa plug). Reverse circulate workstring clean. RDMO BJ Services
- 6. POOH and stand back 1,398" of 2-7/8" workstring. Lay down the remaining workstring.
- 7. MIRU WLSU. NU wireline BOP and Lubricator. Test per EM guidelines. PU and RIH with deep penetrating perforations gun to 1,448'. Perforate 5-1/2" casing from 1,448'-1450' with 4 spf '(8 'holes). POOH with perforating equipment. Establish circulation between 5-1/2" x 8-5/8" annuli. Once circulation is establish, RDMO WLSU.
- 8. PU and RIH with 5-1/2" CICR and workstring. Set CICR @ 1,398'. Test the annulus to 1,000psi.
- 9. MIRU BJ Services. NU and test all hard line to 3,500 psi. Squeeze cement 8-5/8" x 5-1/2" annulus from the perforations at 1,450' to surface. Leave 5-1/2" annulus below CICR full of cmt. Sting out CICR and fill remaining 5-1/2" casing to within 10' of the surface. Lay down workstring as needed.
- 10. ND BOP and wellhead. PU and RIH with mechanical cutter for 5-1/2" casing. Cut casing 6' below ground level. POOH with mechanical cutter. Lay down mechanical cutter and wellhead.
- 11. Top fill all casing strings with cement to ground level. RDMO BJ Services. Clean location and RDMO WSU.
- 12. Complete all reports and send to Houston Regulatory.

Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED
OM B No. 1004-0137
Expires: March 31, 2007

5.	Lease Serial No.
	1420603355

Do not use this form for proposals to drill abandoned well. Use Form 3160 - 3 (APD) for	or to re-enter an or such proposals. 6. If Indian, Allottee or Tribe Name SHIP ROCK			
SUBMIT IN TRIPLICATE- Other instructions	5 on reverse side. 7. If Unit or CA/Agreement, Name and/or No. UTU68931A			
1. Type of Well Gas Well Other	8. Well Name and No.			
2. Name of Operator EXXONMOBIL OIL CORP	RATHERFORD 21-34 9. API Well No.			
	one No. (include area code) 43-037-15756-00-S1 10. Field and Pool or Exploratory Area			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	10. Field and Pool, or Exploratory Area GREATER ANETH			
Sec 21 T41S R24E SWSE 660 FSL 1980 FEL	11. County or Parish, State			
	SAN JUAN COUNTY, UT			
12. CHECK APPROPRIATE BOX(ES) TO INDICA	ATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent Acidize Deep Alter Casing Fraction				
Gorina Barria Div	ture Treat Reclamation Well Integrity Construction Recomplete Other			
Change Plans Plug	and Abandon Temporarily Abandon			
Final Abandonment Notice Convert to Injection Plug	Back Water Disposal			
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)				
11/15/04 BJSA, MIRU WLU, KEY 61, SPOT EQUIPMENT, W				
11/16/04 BJSA, TOOK HEAD OFF, WO ROD TONG, MONTHLY SAFETY MEETING, BLED WELL DOWN CSG FLOWING, WELL DEAD, POOH UNSEAT PUMP, POOH LD POLISH ROD, LD 78 1', 80 7/8, 58 3/4 RODS, LOSE PUMP ON WAY OUT, DIDN'T PULL PUMP OUT. SION				
11/17/04 BJSA, BLED WELL DOWN, ND WH, NUBOP, TEST GOOD, POOH W/ 30 STDS, TBG WERE IN BAD SHAPE, CORRODED, RIH, WO TRAILER TO LD TGB ON. SION				
11/18/04 BJSA, CIRC 120 BBLS FRESH WATER, WELL DEARIH W/ 50 JTS KS. SION	AD, POOH LD 171 JTS, NO BHA, TBG PARTED, PU BIT AND SCRAPER,			
11/19/04 BJSA, BLED WELL DOWN, PU 121 WS, TAGGED 'CICR AT 5371', CIRC 120 BBLS FRESH WATER, T	TOP FISH AT 5421', POOH LD BIT AND SCRAPER, PU CICR, RIH SET TEST CSG TO 500# FOR 30 MINS, HELD GOOD, SISD.			
11/20/04 NO RIG ACTIVITY WEEKEND (11/21/04)	SEE ATTACHMENT			
14. Thereby certify that the foregoing is true and correct Name (Printed/Typed)				
JACQUELINE P. DAVIS	Title SUPPORT STAFF OFFICE ASSISTANT			
Signature Jacqueline P. Darris	Date 12/16/2004			
// U THIS SPACE FOR FEDE	RAL OR STATE OFFICE USE			
	Title Date			

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to anymatter within its jurisdiction. (Instructions on page 2)

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon.

DEC 17 2004

Office

ATTACHMENT TO FORM 3160-5 EXXONMOBIL OIL CORP RATHERFORD 21-34

- 11/22/04 BJSA, BLED PSI DOWN, RU BJ SERVICES TO START CEMENTING, SPOT CEMENT TOOH AND LAY DOWN 28 JOINTS SPOT CEMENT TOOH LAY DOWN 100 JOINTS TOOH WITH 22 STANDS PLUS 1 JOINT (45 JOINTS), RU WIRELINE (WELL SERVICE) TO PERF CASING, PUMP DOWN THE CASING AND OUT THE BRADENHEAD. RD WIRELINE SERVICE. PU CEMENT RETAINER, TIH WITH THE 45 JOINTS AND SET RETAINER. SWI
- 11/23/04 BJSA, BLED WELL DOWN, NO PSI ON THE TUBING OR CASING. RU BJ SERVICE PUMP CEMENT DOWN THE CASING AND OUT THE BRADENHEAD, SPOTTED CEMENT. TOOH WITH THE 22 JOINT PLUS THE STINGER. RD TONG AND FLOOR, NDBOP AND HYDRILL, PU CASING CUTTER AND CUT CASING, LAY DOWN TOOL PLUS JOINT. RIG DOWN RIG. FINAL REPORT

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING			
1. DJJ			
2. CDW			

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006
	TO: (New Operator):	
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation	N2700-Resolute Natural	Resources Company
PO Box 4358	1675 Broadway,	
Houston, TX 77210-4358	Denver, CO 8020	2
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-4600	
CA No.	Unit:	RATHERFORD
OPERATOR CHANGES DOCUMENTATION		
Enter date after each listed item is completed		
1. (R649-8-10) Sundry or legal documentation was received from the	e FORMER operator on:	4/21/2006
2. (R649-8-10) Sundry or legal documentation was received from the	e NEW operator on:	4/24/2006
3. The new company was checked on the Department of Commerc	e, Division of Corporatio	ons Database on: 6/7/2006
4. Is the new operator registered in the State of Utah: YES	Business Number:	5733505-0143
5. If NO , the operator was contacted contacted on:		
6a. (R649-9-2)Waste Management Plan has been received on:	requested	
6b. Inspections of LA PA state/fee well sites complete on:	n/a	
6c. Reports current for Production/Disposition & Sundries on:	ok	
7. Federal and Indian Lease Wells: The BLM and or the	BIA has approved the	merger, name change,
or operator change for all wells listed on Federal or Indian leases	on: BLM	n/a BIAnot yet
8. Federal and Indian Units:		
The BLM or BIA has approved the successor of unit operator for	or wells listed on:	not yet
9. Federal and Indian Communization Agreements ("CA"):	
The BLM or BLA has approved the operator for all wells listed	within a CA on:	n/a
10 Underground Injection Control ("UIC") The I	Division has approved UIC	Form 5, Transfer of Authority to
Inject, for the enhanced/secondary recovery unit/project for the	water disposal well(s) listed	d on: 6/12/2006
DATA ENTRY:		
1 Changes entered in the Oil and Gas Database on:	6/22/2006	
2. Changes have been entered on the Monthly Operator Change S	Spread Sheet on:	6/22/2006
3. Bond information entered in RBDMS on:	n/a	
4. Fee/State wells attached to bond in RBDMS on:	n/a	
5. Injection Projects to new operator in RBDMS on:	6/22/2006 n/a	
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	11/4	
BOND VERIFICATION:	n/a	
1. Federal well(s) covered by Bond Number:	PA002769	
 Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any fee well(s) listed covered 		n/a
a. The FORMER operator has requested a release of liability from t		-
The Division sent response by letter on:	n/a	
LEASE INTEREST OWNER NOTIFICATION:		
4. (R649-2-10) The FORMER operator of the fee wells has been co	ontacted and informed by a	letter from the Division
of their responsibility to notify all interest owners of this change	on: n/a	
COMMENTS:		

STATE OF LITAH

_	EPARTMENT OF NATURAL RESOUR VISION OF OIL, GAS AND MII				SE DESIGNATION AND SERIAL NUMBER:
SUNDRY I	NOTICES AND REPORTS	ON WEL	LS	6. IF IN	DIAN, ALLOTTEE OR TRIBE NAME: ajo Tribe
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals, Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7. UNIT	or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL		Jnit Agreeme		III TORUNINGER	L NAME and NUMBER: attached list
2. NAME OF OPERATOR: Resolute Natural Resources	Company Na760			3 003	NUMBER: ched
3. ADDRESS OF OPERATOR:		80202	PHONE NUMBER: (303) 534-4600		LD AND POOL, OR WILDCAT: ater Aneth
1675 Broadway, Suite 1950 CITY LOCATION OF WELL FOOTAGES AT SURFACE: See atta QTR/QTR, SECTION, TOWNSHIP, RANGE	ched list			COUNT	y: San Juan UTAH
11. CHECK APPRO	OPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, O	R OTHER DATA
TYPE OF SUBMISSION		Ţ	YPE OF ACTION		
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE NEW CONS OPERATOR	TRUCTION		REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	RECLAMATI			VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:
12. DESCRIBE PROPOSED OR COM		pertinent details inc	cluding dates, depths, volum	nes, etc.	
Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the Ratherford Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the Ratherford Unit. A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject. As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.					
NAME (PLEASE/PRINT) Dwight E M	Aloro	*	F Regulatory Cool	rdinato	r
SIGNATURE LATE		TIT!	4/20/2006		
(This space for State use only)				RE	CEIVED

APPROVED 6 137 106

Carlene Russell

Division of Oil, Gas and Mining Littons on Reverse Side)

APR 2 4 2006

Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

	STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING			5. LEASE DESIGNATION AND SERIAL NUMBER:		
SUNDRY NOTICES AND REPORTS ON WELLS			6, IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7. UNIT OF CA AGREEMENT NAME: UTU68931A		
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER: Ratherford		
			9. API NUMBER:		
2. NAME OF OPERATOR: EXXONMObil Oil Corporation	N1855		attached		
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: Aneth		
	Houston STATE TX ZIP	77210-4358 (281) 654-1936	Alleui		
4. LOCATION OF WELL FOOTAGES AT SURFACE:		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	COUNTY: San Juan		
QTR/QTR, SECTION, TOWNSHIP, RANGE	E, MERIDIAN:		STATE: UTAH		
OUTOK ADDDO	OPRIATE BOXES TO INDICAT	E NATURE OF NOTICE RE	PORT, OR OTHER DATA		
	SPRIATE BOXES TO INDICAT	TYPE OF ACTION			
TYPE OF SUBMISSION	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION		
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL		
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON		
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR		
6/1/2006	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE		
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL		
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF		
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:		
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMA	TION		
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, Ratherford lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006. Attached please find a listing of producers and water source wells included in the transfer.					
NAME (PLEASE PRINT) Laurie Kilb	ride	TITLE Permitting S	Supervisor		
	3. Kelbud	DATE 4/19/2006			
		ANTAROMICA CONTROL CON			

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instruction

(See Instructions on Reverse Side)

RECEIVED APR 2 1 2006

Ratherford Unit - Producer Well List

			r —	-T			_	Location	1	
	i	A D1 #	Chatua	1 0000 #	Sec	ĪΤ	R	QTR/QTR		EWFoot
Lease	Number	API#	Status	Lease #	Sec			QIIVQIIV	1401 000	EVVI OOL
	<u> </u>	10007011000001	Design of the second	44000000464	1	415	225	SWSW	0660FSL	0660FWL
Ratherford	01-14	430373116200S1	Producing	1420603246A	1			SWSE	1133FSL	1980FEL
Ratherford	01-34	430371638501S1	SI	1420603246A	1				0860FNL	0350FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11			NENE		0660FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11			NESE	1980FSL	
Ratherford	12-12	430373119000S1	Producing	1420603246A	12			SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12			SWSW		4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12			NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12			NESW		3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12			SWNE	1820FNL	-
Ratherford	12-34	430373112600S1	Producing	1420603246A	12			SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	418	23E	SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	415	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	418	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	41S	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	418	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	418	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14			SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	418	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24			SWNE	2121FNL	1846FEL
Ratherford	24-32	430373113200S1	Producing	1420603247A	24			NENE	0660FNL	0710FEL
Ratheriolu	24-41	43037311020001	ricadeing	1 120000	 	1				
Dethorford	17-11	430373116900S1	Producing	1420603353	17	418	24E	NWNW	1075FNL	0800FWL
Ratherford	17-13	43037311090031 430373113301S1	Producing	1420603353	17			NWSW	2100FSL	0660FWL
Ratherford		43037311301S1	Producing	1420603353	17			SENW	1882FNL	1910FWL
Ratherford	17-22	43037311700131 430373104400S1	Producing	1420603353	17			SESW	0720FSL	1980FWL
Ratherford	17-24		Producing	1420603353	17			NWNE	0500FNL	1980FEL
Ratherford	17-31	430373117800S1		1420603353	17			NWSE	1980FSL	1845FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	418			1980FNL	0660FEL
Ratherford	17-42	430373117700S1	Producing		17		24E		0660FSL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353	18	_	_	NWNW		0730FWL
Ratherford	18-11	430371573300S1	SI	1420603353	_					0500FWL
Ratherford	18-13	430371573401S1	Producing	1420603353	18			NWSW		
Ratherford	18-22	430373123600S1	Producing	1420603353	18			SENW		2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18			SESW		1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18			NWNE		2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18			NWSE		1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18			SENE		0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18		_	SESE		0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19			NWNW		0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19		_	NWSW		0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19			SENW		
Ratherford	19-24	430373175401S1	Producing	1420603353	19			SESW		1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	418	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	418	24E	NWSE		1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19			SENE	1880FNL	. 0660FEL
Ratherford	19-44	43037303100051	Producing	1420603353	19		_	SESE		0660FEL
	19-44	43037310010001 430373159600S1	Producing	1420603353	19			SENE		0030FEL
Ratherford		430373104900S1	Producing	1420603353	20			NWNW		. 0660FWL
Ratherford	20-11	430373104900S1	Producing	1420603353	20			NWSW		0500FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20			SENW		2090FWL
Ratherford	20-22			1420603353	20			SESW		1820FWL
Ratherford	20-24	430373091800S1	Producing	11420003333		710	1 4 TL	-105044	JULI OF	1.0-0. 110

Ratherford Unit - Producer Well List

								Locatio	n	Atavat - Allanies -
Lease	Number	API#	Status	Lease #	Sec	T	R	QTR/QTR	NSFoot	EWFoot
			3							
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S		NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S		NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	418		SENE		0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	415		SESE		0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	415		SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	418	24E	NWSW	1615FSL	1276FWL
		7=								05005)4#
Ratherford	15-12	430371571501S1	Producing	1420603355	15			SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15			SENW		2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15			SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	418		NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S		NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	415		SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	418		NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	418		SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	415		NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	418		NESW		2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	418		NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21			SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	418		SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	415	24E	NWSE	2511FSL	2446FEL
						 	L.		DOCCENII.	DZ40EXA
Ratherford	07-11	430373116300S1	Producing	1420603368	7	415		NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	415		NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	_		SENW	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7			SESW	0880FSL	2414FWL 0555FEL
Ratherford	07-44	430373118900S1	SI	1420603368	7			SESE	0737FSL	0520FWL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	-		SWNW	1909FNL 0616FNL	1911FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	418		NENW	1920FSL	2055FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	415		NESW	1980FNL	1980FEL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	415		SWNE	0660FSL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	418	24E	SVVSE	UOOUFSL	ISOUFEL
				4.400000.4035	+ 4	440	245	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	1415	245	JOVVOE	00001 SL	13001 LL
		10007404070004	Dradusing	14206034037	11	1/18	245	swsw	0660FSL	0660FWL
Ratherford	11-14	430371616700S1	Producing	14206034037	+	1413	246		100001 01	00001 112
		40007457440004	SI	14206034043	9	419	24F	SWSE	0660FSI	1980FEL
Ratherford	09-34	430371571100S1	Producing	14206034043	10			SWNW		0660FWL
Ratherford	10-12	430371571200S1 430371571300S1	Producing	14206034043	10			swsw	0510FSL	-
Ratherford	10-14	430371571400S1	TA	14206034043	10			SWNE		1910FEL
Ratherford	10-32	430371371400S1	TA	14206034043	10			SESE	0820FSL	
Ratherford	10-44	43037304510051	11/2	14200034040	1	+	1	0202	1	
Dath a fairl	20.44	430373105300S1	Producing	1420603407	29	415	24F	NWNW	0770FNL	0585FWL
Ratherford	29-11		Producing	1420603407	29			SENW		1370FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29			NWNE		2140FEL
Ratherford	29-31	430373091401S1	SI	1420603407	29			NWSE		1820FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29			SWSE		2096FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29			SENE		0660FEL
Ratherford	29-42	430373093700S1	Producing	1420603407	30			SWNE	1975FNL	
Ratherford	30-32	430371534200S1	Floudcing	142000407	+ **	1	+			= 17
Doth a of a set	20.44	430373044600S1	Producing	1420603409	28	415	24F	NWNW	0520FNL	0620FWL
Ratherford	28-11	4303/304400031	rioducing	142000400	1	+-	+	+		1

			Status	Lease #	Location					
Lease	Number	API#			Sec	Т	R	QTR/QTR	NSFoot	EWFoot
Ratherford	09-12	430371512600S1	Producing	14206035045	9	415	24E	SWNW	1865FNL	0780FWL
Ratherford	09-14	430371512700S1	Producing	14206035046	9	418	24E	SWSW	0695FSL	0695FWL
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL
Ratherford	03-12	430371562000S1	Producing	14206036506	3	418	24E	SWNW	2140FNL	0660FWL

Water Source Wells (Feb 2006)								
RU	S1	4303700001	Active					
RU	S2	4303700002	Active					
RU	S3	4303700003	Active					
RU	S4	4303700004	Active					
RU	S5	4303700005	Active					
RU	S6	4303700006	Active					
RU	S7	4303700007	Active					
RU	S8	4303700008	Active					
RU	S9	4303700009	Active					
RU	S10	4303700010	Active					
RU	S11	4303700011	Active					
RU	S12	4303700012	Active					
RU	S13	4303700013	Active					
RU	S14	4303700014	Active					
RU	S16	4303700016	Active					
RU	S17	4303700017	Active					